## **REFERENCES CITED**

- Agnew, W., D. W. Uresk, and R. M. Hansen. 1986. Flora and fauna associated with prairie dog colonies and adjacent ungrazed mixedgrass prairie in western South Dakota. Journal of Range Management 39:135-139.
- Anderson, R.C. 1990. The historic role of fire in the North American Grassland. Pages 8-18 in: S.L. Collins and L.L. Wallace, eds., Fire in North American Tallgrass Prairies. University of Oklahoma Press.
- \_\_\_\_\_\_. 1982. An evolutionary model summarizing the roles of fire, climate, and grazing in the origin and maintenance of grasslands: an end paper. Pages 297-308 in: J. R. Estes, R. J. Tyrl, and J. N. Brunken, editors. Grasses and Grasslands: Systematics and Ecology. University of Oklahoma Press. Stillwater.
- Annis, G.M., S.P. Sowa, D. Diamond, A. Garringer, P. Hanberry, and M.E. Morey. 2010. A GAP Analysis for Riverine Ecosystems of the Missouri River Basin (MOGAP). Final Report, submitted to the USGS National Gap Analysis Program. 1,351 pp.
- Aplet, G.H. and W.S. Keeton. 1999. Application of historical range of variability concepts to biodiversity conservation. Pages 71-86 in: R.K. Baydack, H. Campa III, and J.B. Haufler, editors. Practical approaches to the conservation of biological diversity. Island Press, Washington, D.C.
- Association of Fish and Wildlife Agencies (AFWA), Teaming With Wildlife Committee, Effectiveness Measures Working Group. 2011. Measuring the effectiveness of state wildlife grants: Final report. Association of Fish and Wildlife Agencies, Washington, DC. 40 pp.
- Association of Fish and Wildlife Agencies (AFWA), Teaming With Wildlife Committee, State Wildlife Action Plan (SWAP) Best Practices Working Group. 2012. Best practices for state wildlife action plans – Voluntary guidance to states for revision and implementation. Washington (DC): Association of Fish and Wildlife Agencies. 80 pp.
- Bamforth, D.B. 1987. Historical documents and bison ecology on the Great Plains. Plains Anthropologist 32:1-16.
- Barbault, R. and S.D. Sastrapradja. 1995. Generation, maintenance and loss of biodiversity. Global Biodiversity Assessment, Cambridge Univ. Press, Cambridge pp. 193–274.
- Barnes, W.J. and E. Dibble. 1988. The effects of beaver on riverbank forest succession. Canadian Journal of Botany 66:40-44.
- Benda, L.E., D.J. Miller, T. Dunne, G.H. Reeves, and J.K. Agee. 1998. Dynamic landscape systems. Pages 261-288 in: R. J. Naiman and R. E. Bilby, editors. River ecology and management: lessons from the Pacific Coastal Ecoregion. Springer-Verlag, New York, NY.
- Bestelmeyer, B.T., A.J. Tugel, G. L. Peacock, Jr., D.G. Robinett, P.L. Shaver, J.R. Brown, J.E. Herrick, H. Sanchez, and K.M. Havstad. 2009. State-and-transition models for heterogeneous landscapes: a strategy for development and application. Rangeland Ecol. Manag. 62:1-15.
- \_\_\_\_\_\_\_, J.P. Ward, and K.M. Havstad. 2006. Soil–geomorphic heterogeneity governs patchy vegetation dynamics at an arid ecotone. Ecology 87:963–973.
- Biondini, M. E., A.A. Steuter, and R.G. Hamilton. 1999. Bison use of fire-managed remnant prairies. Journal of Range Management 52:454-461.

- Brinson, M.M. 1993. A hydrogeomorphic classification for wetlands. Technical Report WRP-DE-4, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS. NTIS No. AD A270 053.
- \_\_\_\_\_\_, F.R. Hauer, L.C. Lee, W.L. Nutter, R.D. Rheinhardt, R.D. Smith and D. Whigham, 1995. A guidebook for applications of hydrogeomorphic assessments to riverine wetlands. U.S. Army Corps. of Engineers Waterways Experiment Station, Vicksburg, MS, USA. Wetlands Research Program Technical Report WRP-DE-11.
- Brown, P.M. and C.H. Sieg. 1999. Historical variability in fire at the ponderosa pine Northern Great Plains prairie ecotone, southeastern Black Hills, South Dakota. Ecoscience 6:539-547.
- \_\_\_\_\_. and \_\_\_\_\_. 1996. Fire history in interior ponderosa pine communities of the Black Hills, South Dakota, USA. International Journal Wildland Fire 6:97-105.
- Brundtland, G. H. 1987. Our common future. Oxford University Press, Oxford, UK.
- Burgess, A. 2013. Climate change vulnerability assessment of aquatic species of greatest conservation need in South Dakota. Final Report Submitted to South Dakota Department of Game, Fish and Parks. 69 pp.
- Clark, T.W., T.M. Campbell III, D.G. Socha, and D.E. Casey. 1982. Prairie dog colony attributes and associated vertebrate species. Great Basin Naturalist 42:572-582.
- Clippinger, N.W. 1989. Habitat suitability index models: black-tailed prairie dog. U.S. Department of Interior, Fish and Wildlife Service, Biological Report 82(10.156).
- Cochrane, M.A. and C.J. Moran. 2011. Past, present, and future climates for South Dakota: Observed climatic variation from 1895-2010 and projected climate change to 2099. Report to South Dakota Department of Game, Fish and Parks.
- Collares-Pereira, M.J., M.M. Coelho, and I.G. Cowx. 2000. Chapter 40: Freshwater fish conservation: Options for the future. Fishing News Books. Malden, Massachusetts:443-452.
- Collatz, G.J., J.A. Berry, and J.S. Clark. 1998. Effects of climate and atmospheric CO2 partial pressure on the global distribution of C<sub>4</sub> grasses: present, past, and future. Oecologia 114:441–454.
- Collins, S.L. and S.C Barber. 1985. Effects of disturbance on diversity in mixedgrass prairie. Vegetation 64:87-94.
- Cooper, J. and L. Gabriel. 2005. South Dakota black-tailed prairie dog conservation and management plan. South Dakota Department of Game, Fish and Parks, Pierre.
- Coppock, D.L and J.K. Detling. 1986. Alteration of bison and black-tailed prairie dog grazing interaction by prescribed burning. Journal of Wildlife Management 50:452-455.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. United States Department of the Interior, Fish and Wildlife Service, FWS/OBS-79/31, Washington, D.C.
- Cushing, C.E. and J.D. Allan. 2001. Streams: Their ecology and life. Academic Press, San Diego, CA. 336 pp.
- Dahl, T.E. and C.E. Johnson. 1991. Status and trends of wetlands in the coterminous United States, mid-1970's to mid-1980's. U.S. Department of Interior, Fish and Wildlife Service, Washington, D.C.

- \_\_\_\_\_. 1990. Wetland losses in the United States 1780's to 1980's. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.
- Daubenmire R. 1968a Ecology of fire in grasslands. Advances in Ecological Research 5:209-266.
- Daubenmire, R. 1968b. Plant communities: a textbook of plant synecology. Harper and Row, New York, NY.
- Deneke, D.L, M. Moechnig, B. Sievers, and R. Moehring. 2010. Purple loosestrife and invasive European common reed: threats to South Dakota's wetlands and waterways. South Dakota State University Cooperative Extension Service. 6 pp.
- Dieter, C.D. and T. R. McCabe. 1989. Factors influencing beaver lodge-site selection on a prairie river. American Midland Naturalist 122:408-411.
- Dukes, J. 2007. Tomorrow's plant communities: Different, but how? New Phytologist 176:235-237.
- Ehleringer, J.R., T.E. Cerling, and B.R. Helliker. 1997. C<sub>4</sub> photosynthesis, atmospheric CO2, and climate. Oecologia 112:285-299.
- Egan, D. and E.A. Howell, editors. 2001. The historical ecology handbook: a restorationist's guide to reference ecosystems. Island Press, Washington, D.C.
- Epp, H. and I. Dyck. 2002. Early human-bison population interdependence in the plains ecosystem. Great Plains Research 12:323-337.
- Epstein, H.E., W.K. Lauenroth, I.C. Burke, and D.P. Coffin. 1997. Productivity patterns of  $C_3$  and  $C_4$  functional types in the US Great Plains. Ecology 78:722–731.
- Fischer, J.R. and C.P. Paukert. 2008. Historical and current environmental influences on an endemic Great Plains fish. The American Midland Naturalist 159:364-377.
- Fischer, J.C., L.L. Tieszen, and D.S. Chime. 2008. Climate controls on C<sub>3</sub> vs. C<sub>4</sub> productivity in North American grasslands from carbon isotope composition of soil organic matter. Global Change Biology 14:1-15.
- Flather, C.H., K.R. Wilson, and S.A. Shriner. 2009. Geographic approaches to biodiversity conservation: Implications of scale and error to landscape planning. Pages 85-122 *In* J. J. Millspaugh and F. R. Thompson, III. Models for planning wildlife conservation in large landscapes. Elsevier, Amsterdam, The Netherlands.
- Ford, T.E. and R.J. Naiman. 1988. Alteration of carbon cycling by beaver: methane evasion rates from boreal forest streams and rivers. Canadian Journal of Zoology 66:529-533.
- Frank, D.A., S.J. McNaughton, and B.F. Tracy. 1998. The ecology of the earth's grazing ecosystems. BioScience 48:513-521.
- Franklin, J.F. 1993. Preserving biodiversity: species, ecosystems or landscapes. Ecological Applications 3:202-205.
- Franklin, J.F., K. Cromack, W. Denison, A. McKee, C. Maser, J. Sedell, F. Swanson, and G. Juday. 1981. Ecological characteristics of old-growth Douglas-fir forests. USDA Forest Service, General Technical Report PNW-118.

- Friedman, J.M, M.L. Scott, and G.T. Auble. 1997. Water management and cottonwood forest dynamics along prairie streams. Pages 49-71 in: F. L. Knopf and F. B. Samson, editors, Ecology and conservation of Great Plains vertebrates. Springer-Verlag, New York, NY.
- Frissel, C.A., W.J. Liss, C.E. Warren, and M.D. Hurley. 1986. A hierarchical framework for stream habitat classification: viewing streams in a watershed context. Environmental Management 10:199-214.
- Fry, J., G. Xian, S. Jin, J. Dewitz, C. Homer, L. Yang, C. Barnes, N. Herold, and J. Wickham. 2011. <u>Completion of the 2006 National Land Cover Database for the Conterminous United States</u>, PE&RS, Vol. 77:858-864.
- Fuhlendorf, S.D. and D.M. Engle. 2001. Restoring heterogeneity on rangelands: Ecosystem management based on evolutionary grazing patterns. Bioscience 51:625-632.
- and F.E. Smeins. 1998. The influence of soil depth on plant species response to grazing within a semi-arid savanna. Plant Ecology138:89–96.
- Gigliotti, L.M. 2012a. Wildlife and environmental attitudes of South Dakota citizens: A 2012 survey. Progress Report: 1-2012. U.S. Geological Survey, South Dakota Cooperative Fish and Wildlife Research Unit. Department of Natural Resource Management, South Dakota State University, Brookings, S.D.
- Gigliotti, L.M. 2012b. Wildlife Value Orientations of South Dakota citizens: A 2012 survey. Progress Report: 2-2012. U.S. Geological Survey, South Dakota Cooperative Fish and Wildlife Research Unit. Department of Natural Resource Management, South Dakota State University, Brookings, S.D.
- Gigliotti, L.M. 2012c. Wildlife and environmental attitudes of anglers, hunters and wildlife watchers: A 2012 survey. Progress Report: 3-2012. U.S. Geological Survey, South Dakota Cooperative Fish and Wildlife Research Unit. Department of Natural Resource Management, South Dakota State University, Brookings, S.D.
- Grafe, E. and P. Horsted. 2002. Exploring with Custer: The 1874 Black Hills Expedition. Golden Valley Press, Custer, SD. 285pp.
- Grossman, D.H., D. Faber-Langendoen, A.S. Weakley, M. Anderson, P. Bourgeron, R. Crawford, K. Goodin, S. Landaal, K. Metzler, K. Patterson, M. Pyne, M. Reid, and L. Sneddon. 1998.
  International classification of ecological communities: terrestrial vegetation of the United States.
  Volume I. The National Vegetation Classification System: development, status, and applications.
  The Nature Conservancy, Arlington, VA
- Grumbine, R.E. 1994. What is ecosystem management? Conservation Biology 8:27-38.
- Gutzwiller, K. J. 2002. Applying landscape ecology in biological conservation. Springer- Verlag, New York, New York.
- Hanski, I.A. and M.E. Gilpin, editors. 1997. Metapopulation biology; ecology, genetics, and evolution. Academic Press, San Diego, CA.
- Hartnett, D.C., A.A. Steuter, and K.R. Hickman. 1997. Comparative ecology of native and introduced ungulates. Pages 72-101 in: F. L. Knopf and F. B. Samson, editors, Ecology and conservation of Great Plains vertebrates. Springer-Verlag, New York, NY.

- \_\_\_\_\_, K.R. Hickman, and L.E. von Fischer-Walter. 1996. Effects of bison grazing, fire, and topography on floristic diversity in tallgrass prairie. Journal of Range Management 49:413-420.
- Hattersley, P.W. 1983. The distribution of  $C_3$  and  $C_4$  grasses in Australia in relation to climate. Oecologia, 57:113–128.
- Haufler, J.B. and B.J. Kernohan. 2009. Landscape considerations for conservation planning on private lands. *In* J. J. Millspaugh and F. R. Thompson, III, editors. Models for planning wildlife conservation in large landscapes. Elsevier, New York, NY.
- \_\_\_\_\_, R.K. Baydack, H. Campa III, B.J. Kernohan, C. Miller, L.J. O'Neil and L. Waits. 2002. Performance measures for ecosystem management and ecological sustainability. The Wildlife Society Technical Review 02-1. Bethesda, MD.
- \_\_\_\_\_, C.A. Mehl, and G.J. Roloff. 1996. Using a coarse filter approach with a species assessment for ecosystem management. Wildlife Society Bulletin 24:200-208.
- \_\_\_\_\_. 1999. Strategies for conserving terrestrial biological diversity. Pages 17-30 *in* R. Baydack, H. Campa, and J. Haufler, editors. Practical approaches to the conservation of biological diversity. Island Press, Washington, D.C.
- Heisler, J.L., J.M. Briggs, and A.K. Knapp. 2003. Long-term patterns of shrub expansion in a C₄-dominated grassland: fire frequency and the dynamics of shrub cover and abundance. American Journal of Botany 90:423-428.
- Henderson, F. R., P.F. Springer, and R. Adrian. 1974. The black footed ferret in South Dakota. South Dakota Game, Fish, and Parks Department Technical Bulletin 4. Pierre. 37 pp.
- Higgins, J.V. 2003. Maintaining the ebbs and flows of the landscape: Conservation planning for freshwater ecosystems. Pages 291-318 In Groves, C., ed. Drafting a Conservation Blueprint: A practitioner's guide to planning for biodiversity. Island Press, Washington, D.C., 457 pp.
- Higgins, J.V., M.T. Bryer, M.L. Khoury, and T.W. Fitzhugh. 2005. A freshwater classification approach for biodiversity conservation planning. Conservation Biology 19:432-445.
- Higgins, K F. 1986. Interpretation and compendium of historical fire accounts in the Northern Great Plains. US Department of Interior, Fish and Wildlife Service, and Cooperative Extension Unit, Resource Publication 161. South Dakota State University, Brookings.
- \_\_\_\_\_. 1984. Lightning fires in North Dakota grasslands and in pine-savanna lands of South Dakota and Montana. Journal of Range Management 37:100-103.
- Hunter, M.L., Jr. 1991. Coping with ignorance: the coarse-filter strategy for maintaining biodiversity.
  Pages 266-281 in: K. A. Kohm, editor. Balancing on the brink of extinction: the endangered species act and lessons for the future. Island Press, Washington, D.C.
- Hutto, R.L., S. Reel, and P.B. Landres. 1987. A critical evaluation of the species approach to biological conservation. Endangered Species Update 4:1-4.
- International Union for Conservation of Nature and Natural Resources (IUCN). 1980. World conservation strategy: living resource conservation for sustainable development. IUCN-UNEP-WWF, Gland, Switzerland.

- Isenberg, A.C. 2000. The destruction of the bison: an environmental history, 1750-1920. Cambridge University Press. Cambridge, United Kingdom.
- Jackson, S.T., M.W. Kaye, and C.A. Woodhouse. 2010. Persistence and expansion of ponderosa pine woodlands in the west-central Great Plains during the past two centuries. Journal of Biogeography 37.9:1668+
- Jenkins, D. R. and P. E. Busher. 1979. Castor canadensis. Mammal Species 120:1-9.
- Johnson, R.R., K.F. Higgins, and D.E. Hubbard. 1995. Using soils to delineate South Dakota physiographic regions. Great Plains Research 5:309-322.
- Johnson, W.C., B. Werner, G.R. Guntenspergen, R.A. Voldseth, B. Millett, D.E. Naugle, M. Turbure, R.W.H. Carroll, J. Tracy, and C. Olawsky. 2010. Prairie wetland complexes as landscape functional units in a changing climate. *BioScience* 60:128-140
- \_\_\_\_\_, B.V. Millett, T. Gilmanov, R.A. Voldseth, G.R. Guntenspergen, and D.E. Naugle. 2005. Vulnerability of northern prairie wetlands to climate change. BioScience 55:863-872.
- Johnston, C. and R. Naiman. 1990a. Aquatic patch creation in relation to beaver population trends. Ecology 71:1617-1621.
- Johnston, C.A. and R.J. Naiman. 1990b. Browse selection by beaver: effects on riparian forest composition. Canadian Journal of Forest Research 20:1036-1043.
- Junk, W.J., P.B. Bayley, and R.E. Sparks. 1989. The flood pulse concept in river-floodplain systems. Canadian Special Publications Fisheries and Aquatic Sciences 106:110-127.
- Knapp, A., J. Blair, J. Briggs, S. Collins, D. Hartnett, L. Johnson, and G. Towne. 1999. Keystone role of bison in North American tallgrass prairie. Bioscience 49:39-50.
- Keane, R.E., P.F. Hessburg, P.B. Landres, and F.J. Samson. 2009. The use of historical range of variability (HRV) in landscape management. Forest Ecology and Management 258:1025-1037.
- Klatt, L. E. and D. Hein. 1978. Vegetative differences among active and abandoned towns of black-tailed prairie dogs (*Cynomys ludovicianus*). Journal of Range Management 31:315-317.
- Kucera, C.L. 1978. Grasslands and fire. Pages 90-111 in: Proceedings of Conference on fire regimes and ecosystem properties. USDA Forest Service, General Technical Report WO-26.
- LaBaugh, J.W., T.C. Winter, and D.O. Rosenberry. 1998. Hydrological functions of prairie wetlands. Great Plains Research 8:17-37.
- Lett, M.S. and A.K. Knapp. 2005. Woody plant encroachment and removal in mesic grassland: production and composition responses of herbaceous vegetation. Am. Midl. Nat. 153:217–231
- MacArthur, R.H. and E.O. Wilson. 1967. The theory of island biogeography. Princeton University Press, Princeton, NJ.
- Mack, R.N., D. Simberloff, W.M. Londsdale, H. Evans, M. Clout, and F.A. Bazzaz. 2000. Biotic invasions: Causes, epidemiology, global consequences, and control. *Ecological Applications* 10: 689 – 710.
- Margules, C.R. 1989. Introduction to some Australian developments in conservation evaluation. Biological Conservation 50:1-11.
- Matthews, W.J. 1998. Patterns in Freshwater Fish Ecology. Chapman and Hall, New York, NY. 756 pp.

- Maxwell, J.R., C.J. Edwards, M.E. Jensen, S.J. Paustian, H. Parrott, and D.M. Hill. 1995. A hierarchical framework of aquatic ecological units in North America (Nearctic Zone). St. Paul, MN: U.S. Forest Service, North Central Forest Experiment Station, General Technical Report NC-176.
- May, H. L. 2001. Black-tailed prairie dog (*Cynomys ludovicianus*). USDA Natural Resources Conservation Service, Fish and Wildlife Habitat Management Leaflet, No. 23.
- McCartney, M.P. 2002. Freshwater ecosystem management: from theory to application. International Journal of Water 2:1-16.
- McDowell, D.M. and R.J. Naiman. 1986. Structure and function of a benthic invertebrate stream community as influenced by beaver (*Castor canadensis*). Oecologia 68:481-489
- Medin, D.E. and K.E. Torquemada. 1988. Beaver in western North American: an annotated bibliography, 1966-1986. U.S. Forest Service, General Technical Report INT-GTR-242.
- Mehl, C.A., J.B. Haufler, and S. Yeats. 2009. Native Ecosystem Diversity of the Missouri Coteau. A report to SD Game, Fish, and Parks. 115pp.
- Merigliano, M.F. 1996. Ecology and management of the South Fork Snake River Cottonwood Forest. United States Department of the Interior, Bureau of Land Management, Technical Bulletin 96-9, Boise, ID.
- Miller, B., B. Ceballos, and R. Reading. 1994. The prairie dog and biotic diversity. Conservation Biology 8:677-681.
- Miller, J.R., T.T. Schulz, N.T. Hobbs, K.R. Wilson, D.L. Schrupp, and W. Baker. 1995. Changes in the landscape structure of a southeastern Wyoming riparian zone following shifts in stream dynamics. Biological Conservation 72:371-379.
- Morgan, J.A, J.D. Derner, D.G. Milchunas, and E. Pendall. 2008. Management implications of global change for Great Plains rangelands. Rangelands, 30:18-22.
- Morgan, P., G.H. Aplet, J.B. Haufler, H C. Humphries, M.M. Moore, and W.D. Wilson. 1994. Historical range of variability: a useful tool for evaluating ecosystem change. Journal of Sustainable Forestry 2:87-111.
- Mutch, R.W. 1971. Wildland fires and ecosystems: a hypothesis. Ecology 51:1046-1051.
- Naiman, R.J., C.A. Johnston, and J.C. Kelley. 1988. Alteration of North American streams by beaver. Bioscience 38:743-762.
- Nichols, W.F., K.T. Killingbeck, and P. August. 1998. The influence of geomorphological heterogeneity on biodiversity II. A landscape perspective. Conservation Biology 12:371-379.
- Noon, B., D. Murphy, S. Beissinger, M. Shaffer, and D. Dellasala. 2003. Conservation planning for US National Forests: Conducting comprehensive biodiversity assessments. Bioscience 53:1217-1220.
- Noss, R.F. 1990. Indicators for monitoring biodiversity: a hierarchical approach. Conservation Biology 4:355-364.

- Noss, R.F. 1991. From endangered species to biodiversity. Pages 227-246 in K. Kohm, ed. Balancing on the brink of extinction: the Endangered Species Act and lessons for the future. Island Press, Washington, D.C.
- Noss, R.F, E.T. La Roe, III, and J.M. Scott. 1995. Endangered ecosystems of the United States: a preliminary assessment of loss and degradation. USDI National Biological Service, Biological Report 28. Washington, D.C.

\_\_\_\_\_\_. 1990. Indicators for monitoring biodiversity: a hierarchical approach. Conservation Biology 4:355-364.

- NRCS Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Soil Survey Geographic (SSURGO) database for [South Dakota]. Available online at http://soildatamart.nrcs.usda.gov. Accessed [9/20/2013].
- Ojima, D.S., J.M. Lackett, and the Central Great Plains Steering Committee and Assessment Team. 2002.
  Preparing for a Changing Climate: The Potential Consequences of Climate Variability and Change
   Central Great Plains. Report for the US Global Change Research Program. Colorado State University. Fort Collins.
- Parrish, J.B., D.J. Herman, and D.J. Reyher. 1996. A century of change in the Black Hills Forest and Riparian Ecosystems. US Forest Service, South Dakota Agr. Exp. Sta. 20pp.
- Pflieger, W.L. 1989. Aquatic community classification system for Missouri. Jefferson City, MO: Missouri Department of Conservation, Aquatic Series No. 19.
- Poiani, K.A., B.D. Richter, M.G. Anderson, and H.E. Richter. 2000. Biodiversity conservation at multiple scales: Functional sites, landscapes, and networks. Bioscience 50:133-146.
- \_\_\_\_\_, W.C. Johnson, and T.G.F. Kittel. 1995. Sensitivity of a prairie wetland to increased temperature and seasonal precipitation changes. Water Resour. Bull. 31:283-294.
- Poff, N.L. and J.V. Ward. 1989. Implications of streamflow variability and predictability for lotic community structure: a regional analysis of streamflow patterns. Canadian Journal of Fisheries and Aquatic Sciences 46:1805-1818.
- Pollock, M.M. 1998. Biodiversity. Pages 430-452 in: R. J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific Coastal Ecoregion. Springer-Verlag, New York, NY.
- Rahel, F.J. and L.A. Thel. 2004. Plains topminnow (*Fundulus sciadicus*): A technical conservation assessment. USDA Forest Service, Rocky Mountain Region. http://www.fs.fed.us.r2/projects/scp/assessment/plainstopminnow.pdf. (December 2013).
- Reeves, G.H., L.E. Benda, K M. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. American Fisheries Society Symposium 17:334-349.
- Ricciardi, A. and J.B. Rasmussen. 1999. Extinction rates of North American freshwater fauna. Conservation Biology 13:1220-1222.
- Richter, B.D., D.P. Braun, M.A. Mendelson, and L.L. Master. 1997. Threats to imperiled freshwater fauna. Conservation Biology 11:1081-1093.

- Sage, R.F, D.A. Wedin, and L. Meirong. 1999. The biogeography of C<sub>4</sub> photosynthesis: patterns and controlling factors. Pages 313-373 in: R. F. Sage and R. K. Monson, editors. C<sub>4</sub> Plant Biology. Academic Press, San Diego, CA.
- Samson, F.B. 2002. Population viability analysis, management, and conservation planning at large scales. In: Beissinger, S.R.; McCullough, D.R., eds. Population Viability Analysis. University of Chicago Press, Chicago, II:425-441.
- Sasmal, I., T.W. Grovenburg, S. Kempema, J.A. Jenks, R.W. Klaver, T.J. Runia, and T. Kirschenmann. 2014. Crucial Habitat Assessment Tool (CHAT) for South Dakota. South Dakota Department of Game, Fish and Parks, Pierre, SD. 104 pages.
- Saxon, E.C. 2003. Adapting ecoregional plans to anticipate the impact of climate change. Pages 345-365 In: C. Groves, editor. Drafting a conservation blueprint. Island Press, Washington, D.C.
- Sauer, S.P. and F.D. Masch. 1969. Effects of Small Structures on Water Yield in Texas. Pages 118-135 in:
  W. L. Moore and C. W. Morgan, editors. Effects of Watershed Changes on Streamflow. Water Resources Symposium No. 2, Center for Research in Water Resources. University of Texas Press,
- Schlosser, I.J. 1995. Dispersal, boundary processes, and trophic-level interactions in streams adjacent to beaver ponds. Ecology 76:908-925.
- Scott, J.M., B. Csuti, J.J. Jacobs, and J.E. Estes. 1987. Species richness a geographic approach to protecting future biological diversity. BioScience 37:782-788.
- Scott, J.M., B. Csuti, K. Smith, J.E. Estes, and S. Caicco. 1991. Gap Analysis of species richness and vegetation cover: An integrated biodiversity conservation strategy. Pages 282-297 in K. Kohm, ed. Balancing on the brink of extinction. Island Press, Washington, D.C.
- Scott, J.M., F. Davis, B. Csuti, R. Noss, B. Butterfield, C. Groves, H. Anderson, S. Caicco, F. D'Erchia, T.C. Edwards, Jr., J. Ulliman, and G. Wright. 1993. Gap analysis: A geographic approach to protection of biological diversity. Wildlife Monographs 123.
- SDGFP (South Dakota Game, Fish and Parks). 2006. Comprehensive Wildlife Conservation Plan. SDGFP, Wildlife Division Report 2006-08, Pierre.
- Seelbach, P.W., M.J. Wiley, J.C. Kotanchik, and M.E. Baker. 1997. A landscape- based ecological classification system for river valley segments in Lower Michigan. Fisheries Research Report No. 2036. Michigan Department of Natural Resources, Ann Arbor, MI. 51 pp.
- Shaw, J.H. 1995. How many bison originally populated western rangelands? Rangelands 17:148-150.
- Shepperd, W.D. and M.A. Battaglia. 2002. Ecology, silviculture, and management of Black Hills ponderosa pine. USDA Forest Service, Rocky Mountain Research Station, Gen. Tech. Rep. RMRS-GTR-97. 112pp.
- Sieg, C.H. 1997. The role of fire in conserving the biological diversity on native rangelands of the Northern Great Plains. Pages 31-38 in: D.W. Uresk and G.L. Schenbeck, editors. Proceedings of the symposium on Conserving Diversity of the Northern Great Plains. USDA Forest Service, General Technical Report RM-298.
- Soper, J.D. 1941. History, range and home life of the northern bison. Ecological Monographs 11:347-412.

- Soule, M.E. 1990. The onslaught of alien species, and other challenges in the coming decades. Conservation Biology 4:233-239.
- Sowa, S.P., D.D. Diamond, R. Abbitt, G. Annis, T. Gordon, M.E. Morey, G R. Sorensen, and D. True. 2005. A Gap Analysis for Riverine Ecosystems of Missouri. Final Report, submitted to the USGS National Gap Analysis Program. 1675 pp.
- Sparks, R.E. and A. Spink. 1998. Disturbance, succession, and ecosystem processes in rivers and estuaries: effects of extreme hydrologic events. Regulated Rivers: Research and Management. 14:155-159.
- Stelfox, J.G., D.G. Peden, H. Epp, R.J. Hudson, S.W. Mbugua, J.L. Agatsiva, and C.L. Amyunzu. 1986. Herbivore dynamics in southern Narok, Kenya. Journal of Wildlife Management 50:339-347.
- Stewart, R.E. and H.A. Kantrud. 1972. Vegetation of prairie potholes, North Dakota, in relation to quality of water and other environmental factors. U.S. Geological Survey Professional Paper 585-D, Washington, D.C.
- \_\_\_\_\_ and \_\_\_\_\_. 1971. Classification of natural ponds and lakes in the glaciated prairie region. Resource Publication 92, Bureau of Sport Fisheries and Wildlife, U.S. Fish and Wildlife Service, Washington, D.C.
- Swetnam, T.W., C.D. Allen, and J L. Betancourt. 1999. Applied historical ecology: using the past to manage the future. Ecological Applications 9:1189-1206.
- Temple S.A. 1986. The problem of avian extinctions. Ornithology 3:453–485.
- The Nature Conservancy (TNC). 1982. Natural Heritage Program Operations Manual. The Nature Conservancy, Arlington, Virginia (Unpublished). 238 pp.
- Tockner, K., F. Malard, and J.V. Ward. 1999. An extension of the flood pulse concept. Hydrology Proceedings 14:2861-2883.
- Truett, J.C. 2003. Migrations of grassland communities and grazing philosophies in the Great Plains: A review and implications for management. Great Plains Research 13:3-26.
- USDA Natural Resources Conservation Service. 2008. Hydrogeomorphic wetland classification system: An overview and modification to better meet the needs of the Natural Resources Conservation Service. USDA Natural Resources Conservation Service Technical Note No. 190-8-76.
- USDA Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. United States Department of Agriculture Handbook 296. Washington, DC.
- USDA Natural Resources Conservation Service. 1997. National range and pasture handbook. U.S. Department of Agriculture Natural Resources Conservation Service, Washington, D.C.
- USDA Natural Resources Conservation Service. Soil survey geographic (SSURGO) database for all counties in South Dakota. Fort Worth, TX. Online Linkage: URL:<http://SoilDataMart.nrcs.usda.gov/>
- U.S. Global Change Research Program. 2009. Global climate change impacts in the United States. Cambridge University Press, New York.

- U.S.G.S. 2006. Strategic habitat conservation A report from the National Ecological Assessment Team (<u>http://www.fws.gov/nc-es/habreg/NEAT\_FinalRpt.pdf</u>)
- van Jaarsveld, A.S., S. Freitag, S.L. Chown, C. Muller, S. Koch, H. Hull, C. Bellamy, M. Kruger, S. Endrody-Younga, M.W. Mansell, and C.H. Scholtz. 1998. Biodiversity assessment and conservation strategies. Science 279:2106-2108.
- U.S. Fish and Wildlife Service, National Wetlands Inventory. South Dakota data sets. Online link: http://www.wetlands.fws.gov
- Van Pelt, W.E. 1999. The black-tailed prairie dog conservation assessment and strategy-final draft. Nongame and Endangered Wildlife Program. Arizona Game and Fish Department, Phoenix.
- Vinton, M.A. and S.L. Collins. 1997. Landscape gradients and habitat structure in native grasslands of the Central Great Plains. Pages 3-19 in: F.L. Knopf and F.B. Samson, editors, Ecology and conservation of Great Plains vertebrates. Springer-Verlag, New York, NY.
- Virchow, D. and S.E. Hygnstrom. 2002. Distribution and abundance of black-tailed prairie dogs in the Great Plains: a historical perspective. Great Plains Research 12:197-218.
- Virkkala, R. and H. Toivonen. 1999. Maintaining biological diversity in Finnish forests. Finnish Environmental Institute, The Finnish Environment 278. Helsinki, Finland.
- White, P.S. and J. L. Walker. 1997. Approximating Nature's Variation: Selecting and Using Reference Information in Restoration Ecology. Restoration Ecology 5:338-349.
- Wilcove, D. 1993. Getting ahead of the extinction curve. Ecological Applications 3:218-220.
- Williams, B.K., R.C. Szaro, and C.D. Shapiro. 2009. Adaptive management: U.S. Department of the Interior Technical Guide. Adaptive Management Working Group, U.S. Department of the Interior, Washington, DC.
- Williams, J., E. Johnson, D.A. Hendrickson, S. Contreras-Balsderas, J.D. Williams, M. Navarro-Mendoza,
  D.E. McAlister and J.E. Deacon. 1989. Fishes of North America, endangered, threatened, of special concern. Fisheries 12:2-20.
- Wright, C.K. and M.C. Wimberly. 2012. Recent land use change in the Western Corn Belt threatens grasslands and wetlands. Proc. Nat. Acad. Sci. 110:4134-4139.
- Woodhouse, C.A. and J.T. Overpeck. 1998. 2000 years of drought variability in the central United States. Bulletin of the American Meteorological Society 79:2693-2714.
- Ward, J.V., K. Tockner, and F. Schiemer. 1999 Biodiversity of floodplain river ecosystems: ecotones and connectivity. Regulated Rivers: Research and Management. 15:125-139.