



ADDENDUM NO. 3
03/31/2026

Comfort Station
Springfield Recreation Area
Bon Homme County, South Dakota
Project No. Spri26Pa


Bid Opening Date: April 9, 2026, 3:30 PM CT
Department of Game, Fish and Parks
2nd Floor, Foss Building
523 East Capitol
Pierre, South Dakota 57501-3182

Owner: State of South Dakota
Department of Game, Fish and Parks

Scope of this Addendum:

The following becomes a part of the original plans and specifications, taking precedence over the items that may conflict. The bidder shall note receipt and make acknowledgment of the addendum on his bid form, incorporating its provisions in his bid.

1. Soffit, Fascia, Gutter, and Downspout material to be Aluminum.
 - Soffit: .019ga minimum
 - Fascia: .024ga minimum
 - Gutters: .032ga minimum
 - Downspouts: .032ga minimum
2. Epoxy floor specification is to be used for Family Rooms 1 – 3 only. No epoxy floor in the mechanical room.
3. Premier Ultra Burnished Block Units (Color: Dusk (63-243A)) and Sealants from County Materials Corporation will be accepted as an approved equal to Specification Section 04200 – Unit Masonry.


John Bechard (Mar 31, 2026 09:16:10 CDT)

John Bechard
Building Engineer Assistant

03/31/2026

Date

