South Dakota GAME REPORT

No. 2022 - 14

2021

Annual Report

FURBEARER HARVEST PROJECTIONS

Corey Huxoll

Game Harvest Surveys Coordinator
South Dakota Department of Game, Fish and Parks
Division of Wildlife
Joe Foss Building, 523 E. Capitol Ave.
Pierre, South Dakota 57501-3182

PREFACE

Harvest estimates reported herein for the 2021-22 furbearer seasons were developed as described for other species in Wildlife Survey Manual, 2009-2015, South Dakota Department of Game, Fish and Parks. If species specific methodologies are not reported there, they are presented within this report.

Corey Huxoll, (Division of Wildlife, Administrative Section), was responsible for development of these harvest estimates as part of Federal Aid for Wildlife Restoration as Project W-95-R. Harvest survey responses were taken directly over the Internet using Survey123®.

This report was funded in part by Federal Aid Project W-95-R



INDEX

Page
Prefacei
FURBEARER HARVEST SUMMARY 1 Statewide harvest 2 Total harvest distribution 3
Coyote season summary
Bobcat season summary
Red Fox season summary
Raccoon season summary
Badger season summary
Opossum season summary19Harvest map20Harvest distribution21
Striped Skunk season summary22 Harvest map23 Harvest distribution24
Spotted Skunk season summary
Muskrat season summary
Mink season summary31 Harvest map32 Harvest distribution33

Weasel season summary	
Harvest map	
Harvest distribution	
Beaver season summary	
Harvest map	
Harvest distribution	

FURBEARER HARVEST SUMMARY

Individual furbearer seasons had different season dates, license requirements, and open areas within the state and are discussed later in separate sections. This report only includes harvest from furbearer license holders, therefore harvest for coyotes, red fox, skunks, raccoons, and badgers are minimum estimates. Any resident or nonresident with a predator/varmint license or any type of hunting license was eligible to hunt those species. Rules restricted nonresidents to taking raccoon, beaver, and muskrat from only December 1 - March 15, and bobcats from January 8 - February 15, and mink and weasel from December 1 - January 31. Nonresidents were restricted from using dogs to aid in taking raccoon.

In the 2021-2022 seasons, there were approximately 236,000 resident and 129,000 nonresident licenses issued that allowed holders to hunt furbearers. Of those, only 4,726 residents and 13 nonresidents had licenses that allowed trapping of furbearers. Some 2021 furbearer license holders also purchased 2022 licenses that were valid during the 2021 seasons. In addition to those who had both 2021 and 2022 licenses, 682 residents and 1 nonresident purchased 2022 licenses prior to April 15, 2022, making them eligible to hunt or trap the 2021-22 seasons.

Harvest surveys were sent to resident and nonresident furbearer license holders who had a 2021 license or a 2022 license that was purchased prior to April 15, 2022. Response rates were 31% for residents and 9% for nonresidents. Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons.

Approximately 13% (290) of active furbearer license holders trapped/hunted on public-owned land East River and 14% (297) hunted/trapped on public-owned land West River. Approximately 6% (124) of active furbearer license holders hunted/trapped bobcats in the Black Hills. Sixty-seven respondents said they hunted or trapped furbearers in the Black Hills and 7 of those reported observing a pine marten.

When asked their satisfaction on the seasons, (1 being least satisfied, 7 being most satisfied), resident hunters/trappers reported an average satisfaction level of 5.21.

The five counties with the highest total reported furbearer harvest densities per square mile were Codington, Hamlin, Day, Clay, and Yankton.

FURBEARER HARVEST PROJ	ECTIONS	FOR 2021-2	22
Revised: 27 June 2022	Resident	Nonresident	 Totals
Licenses Sold*	4,726	13	4,739
Projected ACTIVE TRAPPERS/HUNTERS	2,200	0	2,200
			·
Trapping Harvest			
Coyotes	9,691	0	9,691
Red Fox	771	0	771
Bobcat	212	0	212
Raccoon	22,775	0	22,775
Beaver	3,395	0	3,395
Muskrat	25,101	0	25,101
Mink	482	0	482
Weasel	48	0	48
Badger	1,104	0	1,104
Opossum	4,295	0	4,295
Striped Skunk	10,145	0	10,145
Spotted Skunk	33	0	33
Hunting Harvest			
Coyotes	10,246	0	10,246
Red Fox	180	0	180
Bobcat	49	0	49
Raccoon	5,553	0	5,553
Beaver	266	0	266
Muskrat	238	0	238
Mink	4	0	4
Weasel	4	0	4
Badger	239	0	239
Opossum	559	0	559
Striped Skunk	1,763	0	1,763
Spotted Skunk	4	0	4
Total Harvest			
	10.027	0	10.027
Coyotes Pod Fox	19,937	0	19,937
Red Fox	952 261	0	952 261
Bobcat		0	
Raccoon	28,328	0	28,328
Beaver	3,661	0	3,661
Muskrat	25,339	0	25,339
Mink	486	0	486
Weasel	52	0	52
Badger	1,343	0	1,343
Opossum Striped Skupk	4,853	0	4,853
Striped Skunk	11,908	0	11,908
Spotted Skunk	37	0	37
Furbearer Mean Satisfaction Score ** * Licenses sold for the 2021 licensing year (15 Dec	5.21	NA 2022) and the 2022	licensing

^{*} Licenses sold for the 2021 licensing year (15 Dec 2020 - 31 Jan 2022) and the 2022 licensing year (15 Dec 2021 - 31 Jan 2023) purchased prior to 16 April 2022

^{**} Based on scale of 1-7 with 1="very dissatisfied" and 7="very satisfied"

COUNTY	Courte	Ded Co.	Dahasi	Dees	Berne	Mustinet	M2 1-	\Ma==='	Dades	0======	Striped	Spotted	Total	0/ of T-1
COUNTY	Coyote	Red Fox	Bobcat	Raccoon	Beaver	Muskrat	Mink	Weasel		Opossum	Skunk	Skunk	Harvest	% of Total
Minnehaha	154	93	0	1,535	277	138	77	0	4	203	459	0	2,939	3.0
Pennington Brown	1,140 95	35 4	9	176 182	276 0	26 51	24 10	0	19 31	105 0	65 74	0	1,875 448	1.9 0.5
Beadle	347	25	0	308	124	26	0	0	4	128	372	0	1,333	1.4
Codington	67	4	0	116	12	7,259	0	0	0	232	169	0	7,858	8.1
Brookings	275	12	0	784	253	0	10	0	47	4	614	0	1,999	2.1
Yankton	381	29	5	1,580	0	0	19	0	91	181	251	0	2,537	2.6
Davison	78	7	0	224	31	10	10	0	37	4	304	0	706	0.7
Lawrence	31	0	8	0	0	0	0	0	0	0	5	0	44	0.0
Aurora	15	4	0	126	0	26	0	0	4	0	147	4	325	0.3
Bennett Bon Homme	19 469	0 24	6	0 382	0 155	0 1,537	0 68	0	9 30	300 35	17 82	0	347 2,789	0.4 2.9
Brule	176	4	5	346	16	72	5	0	70	520	507	4	1,724	1.8
Buffalo	31	0	0	64	0	0	0	0	35	4	50	0	184	0.2
Butte	49	33	23	586	97	15	0	0	4	0	77	0	885	0.9
Campbell	41	4	0	122	0	768	0	11	37	0	5	0	987	1.0
Charles Mix	369	19	24	718	47	0	5	5	0	280	338	11	1,816	1.9
Clark	411	49	0	533	35	2,428	0	0	9	0	461	0	3,925	4.0
Clay	338	32	0	1,231	0	0	0	0	43	35	598	0	2,278	2.3
Corson	487	0	3	98	0	0	0	0	10	0	0	0	598	0.6
Custer Day	517 209	12 16	0	36 855	43 0	0 4,682	0	0	0 26	175 0	148 211	0	934 6,000	1.0 6.2
Day Deuel	124	62	0	288	19	0	0	0	0	0	267	0	760	0.8
Dewey	598	0	2	0	0	0	0	0	0	0	0	0	600	0.6
Douglas	181	11	0	336	0	0	0	0	9	22	194	0	754	0.8
Edmunds	118	80	0	1,679	0	0	54	5	139	364	1,221	0	3,659	3.8
Fall River	718	12	25	47	8	0	0	0	43	0	147	0	1,001	1.0
Faulk	228	8	0	996	23	51	0	0	35	76	190	15	1,622	1.7
Grant	22	4	0	263	82	0	5	0	9	26	160	0	571	0.6
Gregory	706	8	25	1,143	110	113	10	0	39	163	421	0	2,739	2.8
Haakon	804 135	28 63	13 0	572 648	168 85	102 1,985	0	0	31 0	0	424 338	0	2,142	2.2
Hamlin Hand	458	0	0	231	12	405	0	0	47	53	213	0	3,254 1,420	3.3 1.5
Hanson	115	0	0	857	47	0	0	0	33	57	374	4	1,488	1.5
Harding	473	0	20	210	23	10	0	0	13	0	319	0	1,068	1.1
Hughes	315	0	3	176	0	0	5	0	9	0	154	0	662	0.7
Hutchinson	8	0	0	519	23	12	0	0	23	0	39	0	623	0.6
Hyde	968	16	0	107	0	2,008	0	0	138	13	48	0	3,299	3.4
Jackson	30	0	7	150	4	0	0	0	0	0	113	0	305	0.3
Jerauld	189	4	0	227	58	0	0	0	17	0	62	0	557	0.6
Jones	80 478	12 37	0	72 1,284	43 12	0 1,276	73	0	5	70	106 147	0	389 3,306	0.4 3.4
Kingsbury Lake	0	0	0	0	0	1,276	0	0	0	0	0	0	10	0.0
Lincoln	504	0	1	328	190	61	0	0	0	22	49	0	1,155	1.2
Lyman	551	0	7	145	66	61	5	0	4	0	48	0	887	0.9
McCook	11	0	0	244	0	20	0	9	0	0	32	0	316	0.3
McPherson	118	0	0	0	0	0	0	0	0	0	0	0	118	0.1
Marshall	81	4	0	265	0	333	24	0	4	38	133	0	883	0.9
Meade	699	8	26	411	50	61	0	11	4	494	207	0	1,971	2.0
Mellette	307	0	14	115	0	0	0	0	0	88	151	0	675	0.7
Miner	30 206	0 57	0	760 1,081	0 295	0	0 15	0	0	0	59 99	0	853 1,753	0.9 1.8
Moody Perkins	334	8	7	535	295 59	22	0	0	14	0	148	0	1,753	1.8
Potter	755	0	0	459	27	1,025	0	0	0	0	42	0	2,308	2.4
Roberts	102	4	0	296	12	256	10	0	0	26	159	0	865	0.9
Sanborn	8	0	0	417	0	0	0	0	0	88	119	0	632	0.7
Spink	444	98	0	1,110	366	271	39	11	44	26	306	0	2,715	2.8
Stanley	909	0	7	103	31	70	0	0	9	0	62	0	1,191	1.2
Sully	280	0	0	66	40	60	0	0	28	0	50	0	523	0.5
Tripp	275	7	2	233	151	33	5	0	71	0	79	0	858	0.9
Turner	26 308	0	3	98	35	40 15	0 15	0	22	48 18	8 104	0	259	0.3
Union Walworth	308	8 7	0	1,638 142	27 16	15 0	15 0	0	26	620	104	0	2,158 1,274	2.2 1.3
Ziebach	893	0	1	0	173	0	0	0	0	0	0	0	1,274	1.3
Oglala Lakota	223	0	4	47	0	0	0	0	9	334	0	0	618	0.6
Todd	100	0	0	29	39	0	0	0	0	0	21	0	189	0.0
				28,328	3,661	25,339	486	52	1,343	4,853	11,908			

COYOTE


The 2021 coyote season was open statewide and year-round. Residents aged 16 and older holding a predator/varmint, furbearer or any type of hunting license were eligible to hunt coyotes and residents holding a furbearer license were eligible to trap coyotes. Resident youth under age 16 were not required to have any license to trap or hunt coyotes. Nonresidents holding a predator/varmint, or any type of hunting license were eligible to hunt coyotes, and nonresidents holding a furbearer license were eligible to trap coyotes.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 25,323 coyotes were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported coyote harvest densities were Hyde, Lincoln, Potter, Clay, and Bon Homme.

Comparison of the 2012-2021 Coyote seasons

	Furbeard	er Licenses	Active Hun	ters/Trappers	Harv	/est	Satisfaction		
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres	
2012	5,022	19	2,785	18	10,939	10,989	4.87	4.42	
2013	4,745	19	2,641	14	8,419	7,425	4.63	4.44	
2014	4,227	12	2,304	10	10,199	8,417	4.89	5.00	
2015	3,940	14	2,065	14	15,448	13,741	4.93	4.40	
2016	3,620	11	1,804	5	6,701	6,801	4.95	5.00	
2017	3,915	17	2,120	15	16,282	8,217	5.05	5.63	
2018	4,154	14	2,168	12	9,356	8,066	4.97	5.44	
2019	4,334	17	2,237	13	7,072	7,196	5.09	4.43	
2020	4,689	15	2,295	15	14,292	11,031	5.22	5.50	
2021	4,726	13	2,200	0	9,691	10,246	5.21	NA	



2021-22 Coyote Harvest

COUNTY	# Reported	HUNTING HARV # Projected	% of Total	# Proj w/ Unk *	# Reported	# Projected	VEST DISTRIBU	# Proj w/ Unk *	Total Harvest	% of Tota
linnehaha	# Reported	26	0.3	26	33	121	1.3	128	154	0.8
ennington	139	515	5.0	515	161	593	6.5	626	1,140	5.7
own	9	33	0.3	33	16	59	0.6	62	95	0.5
eadle	34	126	1.2	126	57	210	2.3	221	347	1.7
odington	18	67	0.7	67	0	0	0.0	0	67	0.3
rookings	27	100	1.0	100	45	166	1.8	175	275	1.4
ankton	61	226	2.2	226	40	147	1.6	155	381	1.9
avison	20	74	0.7	74	1	4	0.0	4	78	0.4
awrence	1	4	0.0	4	7	26	0.3	27	31	0.4
urora	1	4	0.0	4	3	11	0.1	12	15	0.2
ennett	3	11	0.0	11	2	7	0.1	8	19	0.1
on Homme	72	267	2.6	267	52	191	2.1	202	469	2.4
rule	36	133	1.3	133	11	40	0.4	43	176	0.9
		7	0.1	7		22				0.9
uffalo	2				6		0.2	23	31	
utte	10	37	0.4	37	3	11	0.1	12	49	0.2
ampbell	7	26	0.3	26	4	15	0.2	16	41	0.2
harles Mix	62	230	2.2	230	36	133	1.4	140	369	1.9
lark	25	93	0.9	93	82	302	3.3	319	411	2.1
lay	41	152	1.5	152	48	177	1.9	187	338	1.7
orson	80	296	2.9	296	49	180	2.0	190	487	2.4
uster	65	241	2.3	241	71	261	2.8	276	517	2.6
ay	28	104	1.0	104	27	99	1.1	105	209	1.0
euel	2	7	0.1	7	30	110	1.2	117	124	0.6
ewey	130	481	4.7	481	30	110	1.2	117	598	3.0
ouglas	49	181	1.8	181	0	0	0.0	0	181	0.9
dmunds	13	48	0.5	48	18	66	0.7	70	118	0.6
all River	48	178	1.7	178	139	512	5.6	540	718	3.6
aulk	30	111	1.1	111	30	110	1.2	117	228	1.1
Grant	5	19	0.2	19	1	4	0.0	4	22	0.1
Gregory	112	415	4.0	415	75	276	3.0	291	706	3.5
laakon	127	470	4.6	470	86	317	3.4	334	804	4.0
łamlin	26	96	0.9	96	10	37	0.4	39	135	0.7
land	64	237	2.3	237	57	210	2.3	221	458	2.3
lanson	29	107	1.0	107	2	7	0.1	8	115	0.6
larding	47	174	1.7	174	77	283	3.1	299	473	2.4
lughes	60	222	2.2	222	24	88	1.0	93	315	1.6
Hutchinson	1	4	0.0	4	1	4	0.0	4	8	0.0
lyde	41	152	1.5	152	210	773	8.4	816	968	4.9
ackson	4	15	0.1	15	4	15	0.2	16	30	0.2
erauld	50	185	1.8	185	1	4	0.0	4	189	0.9
ones	10	37	0.4	37	11	40	0.4	43	80	0.4
lingsbury	43	159	1.6	159	82	302	3.3	319	478	2.4
ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	115	426	4.2	426	20	74	0.8	78	504	2.5
yman	89	330	3.2	330	57	210	2.3	221	551	2.8
1cCook	3	11	0.1	11	0	0	0.0	0	11	0.1
1cPherson	32	118	1.2	118	0	0	0.0	0	118	0.6
Marshall	3	110	0.1	110	18	66	0.0	70	81	0.0
leade	132	489	4.8	489	54	199	2.2	210	699	3.5
lellette	64	237	2.3	237	18	66	0.7	70	307	1.5
iner	8	30	0.3	30	0	0	0.0	0	30	0.1
loody	0	0	0.0	0	53	195	2.1	206	206	1.0
erkins	22	81	0.0	81	53 65	239	2.1	253	334	1.0
otter	14	52	0.8	52	181	666	7.3	703	755	3.8
loberts	16	59	0.6	59	11	40	0.4	43	102	0.5
anborn	0	0	0.0	0	2	7	0.1	8	8	0.0
pink	56	207	2.0	207	61	225	2.4	237	444	2.2
tanley	150	555	5.4	555	91	335	3.6	354	909	4.6
ully	43	159	1.6	159	31	114	1.2	120	280	1.4
ripp	68	252	2.5	252	6	22	0.2	23	275	1.4
urner	7	26	0.3	26	0	0	0.0	0	26	0.1
nion	16	59	0.6	59	64	236	2.6	249	308	1.5
Valworth	61	226	2.2	226	25	92	1.0	97	323	1.6
iebach	193	715	7.0	715	46	169	1.8	179	893	4.5
Oglala Lakota	11	41	0.4	41	47	173	1.9	183	223	1.1
odd	25	93	0.9	93	2	7	0.1	8	100	0.5
Inknown	0	0	-	-	139	512	-	-	-	-
OTALS:	2,767	10,246	100%	10,246	2,633	9,691	100%	9,691	19,937	100%

6

BOBCAT

The 2021-22 resident bobcat season was open statewide from December 26, 2021 through February 15, 2022. The nonresident bobcat season was open from January 8 – February 15, 2022. Residents aged 16 and older holding a furbearer license were eligible to hunt and trap bobcats. Resident youth under age 16 were not required to have any license to trap or hunt bobcats. Nonresidents holding a furbearer license were eligible to hunt and trap bobcats. Hunters and trappers were restricted to a season bag limit of 1 bobcat east of the Missouri River.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. A total of 261 bobcats were checked in during the 2021-22 season by furbearer license holders, landowners, or youth trappers and hunters.

A total of 152 respondents reported trapping/hunting bobcats an average of 16.6 days (SE=1.10). Of those responding, 35 reported hunting/trapping for bobcats in the Black Hills which projected to 124 hunters/trappers. Check station results showed a total Black Hills harvest of 30 bobcats.

The five counties with the highest reported bobcat harvest densities were Gregory, Charles Mix, Fall River, Lawrence, and Bon Homme.

Comparison of the 2012-2021 Bobcat seasons

	Furbear	er Licenses	Active Hun	ters/Trappers	Har	vest	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	65	55	4.87	4.42
2013	4,745	19	2,641	14	347		4.63	4.44
2014	4,227	12	2,304	10	21	4	4.89	5.00
2015	3,940	14	2,065	14	25	54	4.93	4.40
2016	3,620	11	1,804	5	218		4.95	5.00
2017	3,915	17	2,120	15	367	95	5.05	5.63
2018	4,154	14	2,168	12	264	71	4.97	5.44
2019	4,334	17	2,237	13	209	58	5.09	4.43
2020	4,689	15	2,295	15	243	61	5.22	5.50
2021	4,726	13	2,200	0	212	49	5.21	NA

2.1 - 2.4 (2)

Campbell McPherson Marshall Corson Harding Brown Perkins Walworth Edmunds Day Grant Dewey Potter Faulk Ziebach Butte Codington Spink Clark Deuel Sully Hamlin Hyde Stanley Hughes Beadle Brookings Kingsbury Pennington Buffalo Jerauld Moody Sanborn Miner Lake Jones Lyman Custer Aurora Davison Hanson Minnehaha Mellette Oglala Lakota Douglas Tripp Hutchinson Fall River Lincoln Todd Clay **Bobcat Harvest Density** Harvest per 100 sq mi No Harvest (39) 0.1 - 0.5 (14) 0.6 - 1.0 (8) 1.1 - 2.0 (3)

2021-22 Bobcat Harvest

-		/EST DISTRIBUTION	_	TRAPPING HARVI	ST DISTRIBUTION	· -	
COUNTY	# Reported	% of Total		# Reported	% of Total	Total Harvest	% of Total
Minnehaha	0	0.0		0	0.0	0	0.0
Pennington	0	0.0		9	4.5	9	3.6
Brown	0	0.0		0	0.0	0	0.0
Beadle	0	0.0	\vdash	0	0.0	0	0.0
Codington	0	0.0		0	0.0	0	0.0
Brookings	0	0.0		0	0.0	0	0.0
Yankton	1	2.1		4	2.0	5	2.0
Davison	0	0.0		0	0.0	0	0.0
awrence	2	4.3		6	3.0	8	3.2
Aurora	0	0.0	П	0	0.0	0	0.0
Bennett	2	4.3		0	0.0	2	0.8
Bon Homme	<u> </u>	0.0		6	3.0	6	2.4
Brule	0	2.1		<u>4</u> 0	2.0	5	2.0
Buffalo		0.0	\vdash		0.0		0.0
Butte	8	17.0		14	7.0	23	8.9
Campbell	0	0.0		0	0.0	0	0.0
Charles Mix	1	2.1		22	10.9	24	9.3
Clark	0	0.0		0	0.0	0	0.0
Clay	0	0.0		0	0.0	0	0.0
Corson	2	4.3	1 1	1	0.5	3	1.2
Custer	1	2.1		3	1.5	4	1.6
Day	0	0.0		0	0.0	0	0.0
Deuel	0	0.0		0	0.0	0	0.0
Dewey	2	4.3		0	0.0	2	0.8
Douglas	0	0.0		0	0.0	0	0.0
Edmunds	0	0.0		0	0.0	0	0.0
Fall River	1	2.1		23	11.4	25	9.7
aulk	0	0.0		0	0.0	0	0.0
Grant	0	0.0		0	0.0	0	0.0
Gregory	8	17.0		16	8.0	25	9.7
Haakon	1	2.1		11	5.5	13	4.8
Hamlin	0	0.0		0	0.0	0	0.0
Hand	0	0.0		0	0.0	0	0.0
Hanson	0	0.0		0	0.0	0	0.0
Harding	1	2.1		18	9.0	20	7.7
Hughes	2	4.3		1	0.5	3	1.2
Hutchinson	0	0.0		0	0.0	0	0.0
Hyde	0	0.0		0	0.0	0	0.0
Jackson	0	0.0		7	3.5	7	2.8
Jerauld	0	0.0		0	0.0	0	0.0
Jones	0	0.0		0	0.0	0	0.0
Kingsbury	0	0.0		0	0.0	0	0.0
Lake	0	0.0		0	0.0	0	0.0
Lincoln	1	2.1		0	0.0	1	0.4
Lyman	0	0.0		7	3.5	7	2.8
McCook	0	0.0		0	0.0	0	0.0
McPherson	0	0.0		0	0.0	0	0.0
Marshall	0	0.0		0	0.0	0	0.0
Meade	8	17.0		17	8.5	26	10.1
Mellette	1	2.1	\prod	12	6.0	14	5.2
Miner	0	0.0		0	0.0	0	0.0
Moody	0	0.0		0	0.0	0	0.0
Perkins	2	4.3		5	2.5	7	2.8
Potter	0	0.0		0	0.0	0	0.0
Roberts	0	0.0		0	0.0	0	0.0
Sanborn	0	0.0	Ш	0	0.0	0	0.0
Spink	0	0.0	Ш	0	0.0	0	0.0
Stanley	0	0.0	$\Box \Box$	7	3.5	7	2.8
Sully	0	0.0		0	0.0	0	0.0
Ггірр	2	4.3		0	0.0	2	0.8
Turner	0	0.0		0	0.0	0	0.0
Jnion	0	0.0		3	1.5	3	1.2
Valworth	0	0.0		0	0.0	0	0.0
Ziebach	0	0.0		1	0.5	1 1	0.4
Oglala Lakota	0	0.0	H	4	2.0	4	1.6
Todd	0	0.0		0	0.0	0	0.0
Unknown	2	-	\vdash	11	-	-	-
		1			100%	261	100%

Last Revised: 28 June 2022

^{*} Includes unknown county projection values by assuming unknown county values are distributed the same as reported county values. Total values may be different due to rounding.

RED FOX


The 2021-22 red fox season was open statewide and year-round. Residents aged 16 and older holding a predator/varmint, furbearer or any type of hunting license were eligible to hunt fox and residents holding a furbearer license were eligible to trap fox. Resident youth under age 16 were not required to have any license to trap or hunt fox. Nonresidents holding a predator/varmint, or any type of hunting license were eligible to hunt fox, and nonresidents holding a furbearer license were eligible to trap fox.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 952 red fox were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported red fox harvest densities were Moody, Hamlin, Moody, Minnehaha, and Deuel.

Comparison of the 2012-2021 Red Fox seasons

	Furbeard	er Licenses	Active Hun	ters/Trappers	Harv	/est	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	2,266	429	4.87	4.42
2013	4,745	19	2,641	14	1,629	372	4.63	4.44
2014	4,227	12	2,304	10	1,599	354	4.89	5.00
2015	3,940	14	2,065	14	1,882	426	4.93	4.40
2016	3,620	11	1,804	5	679	283	4.95	5.00
2017	3,915	17	2,120	15	1,535	346	5.05	5.63
2018	4,154	14	2,168	12	889	151	4.97	5.44
2019	4,334	17	2,237	13	541	194	5.09	4.43
2020	4,689	15	2,295	15	1,377	239	5.22	5.50
2021	4,726	13	2,200	0	771	180	5.21	NA



2021-22 Red Fox Harvest

COUNTY	# Reported	HUNTING HARVE # Projected	% of Total	# Proj w/ Unk *	# Reported	# Projected	EST DISTRIBUT % of Total	# Proj w/ Unk *	Total Harvest	% of Total
Minnehaha	4	15	8.2	15	19	70	10.1	78	93	9.7
ennington	4	15	8.2	15	5	18	2.7	21	35	3.7
rown	0	0	0.0	0	1	4	0.5	4	4	0.4
eadle	0	0	0.0	0	6	22	3.2	25	25	2.6
odington	1	4	2.0	4	0	0	0.0	0	4	0.4
rookings	0	0	0.0	0	3	11	1.6	12	12	1.3
'ankton	Ō	Ö	0.0	Ö	7	26	3.7	29	29	3.0
Davison	2	7	4.1	7	0	0	0.0	0	7	0.8
awrence	0	0	0.0	0	Ö	0	0.0	Ö	0	0.0
urora	1	4	2.0	4	Ö	0	0.0	Ö	4	0.4
Bennett	i 0	0	0.0	1 0 1	T 0	1 0	0.0	0	0	0.0
on Homme	1	4	2.0	4	5	18	2.7	21	24	2.5
Brule	i	4	2.0	4	0	0	0.0	0	4	0.4
Buffalo	0	0	0.0	0	0	0	0.0	0	0	0.0
Butte	0	0	0.0	0	8	30	4.3	33	33	3.4
Campbell	1	4	2.0	4	0	0	0.0	0	4	0.4
						4		4		
Charles Mix	4 1	15 4	8.2 2.0	15 4	1 11	41	0.5 5.9	4 45	19 49	2.0 5.1
Clark	2	7		7		22	3.2	45 25	49 32	3.4
Clay	0	0	4.1 0.0	0	6 0	0	0.0	25 0	0	0.0
Corson		1 0		1 0 1					12	
Custer	0		0.0		3	11	1.6	12		1.3
Day	0	0	0.0	0	4	15	2.1	16	16	1.7
Deuel	0	0	0.0	0	15	55	8.0	62	62	6.5
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
ouglas	3	11	6.1	11	0	0	0.0	0	11	1.2
dmunds	5	18	10.2	18	15	55	8.0	62	80	8.4
all River	0	0	0.0	0	3	11	1.6	12	12	1.3
aulk	0	0	0.0	0	2	7	1.1	8	8	0.9
Grant	1	4	2.0	4	0	0	0.0	0	4	0.4
Gregory	0	0	0.0	0	2	. 7	1.1	8	8	0.9
łaakon	2	7	4.1	7	5	18	2.7	21	28	2.9
lamlin	6	22	12.2	22	10	37	5.3	41	63	6.6
land	0	0	0.0	0	0	0	0.0	0	0	0.0
Hanson	0	0	0.0	0	0	0	0.0	0	0	0.0
larding	0	0	0.0	0	0	0	0.0	0	0	0.0
Hughes	0	0	0.0	0	0	0	0.0	0	0	0.0
lutchinson	0	0	0.0	0	0	0	0.0	0	0	0.0
łyde	0	0	0.0	0	4	15	2.1	16	16	1.7
ackson	0	0	0.0	0	0	0	0.0	0	0	0.0
erauld	1	4	2.0	4	0	0	0.0	0	4	0.4
ones	1	4	2.0	4	2	7	1.1	8	12	1.2
Cingsbury	1	4	2.0	4	8	30	4.3	33	37	3.8
ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	0	0	0.0	0	0	0	0.0	0	0	0.0
yman	0	0	0.0	0	0	0	0.0	0	0	0.0
//////////////////////////////////////	0	0	0.0	0	0	0	0.0	0	0	0.0
AcPherson	0	0	0.0	0	0	0	0.0	0	0	0.0
Marshall	1 0	1 0	l 0.0	1 0 1	I 1	1 4	0.5	4	4	0.0
Meade	1	4	2.0	4	1 1	4	0.5	4	8	0.4
fellette	0	0	0.0	0	0	0	0.5	0	0	0.8
		0			0	0		0		
Miner Moody	0		0.0	0			0.0		0 57	0.0
Moody	0	0	0.0		14	52	7.4	57	57	6.0
erkins	0	0	0.0	0	2	7	1.1	8	8	0.9
otter	0	0	0.0	0	0	0	0.0	0	0	0.0
loberts	0	0	0.0	0	1	4	0.5	4	4	0.4
anborn	0	0	0.0	0	0	0	0.0	0	0	0.0
pink	1	4	2.0	4	23	85	12.2	94	98	10.3
stanley	0	0	0.0	0	0	0	0.0	0	0	0.0
ully	0	0	0.0	0	0	0	0.0	0	0	0.0
ripp	2	7	4.1	7	0	0	0.0	0	7	0.8
urner	0	0	0.0	0	0	0	0.0	0	0	0.0
Inion	1	4	2.0	4	1	4	0.5	4	8	0.8
Valworth	2	7	4.1	7	. 0	0	0.0	0	7	0.8
iebach	0	0	0.0	0	0	0	0.0	0	0	0.0
glala Lakota	0	0	0.0	0	0	0	0.0	0	0	0.0
odd	0	0	0.0	0	0	0	0.0	0	0	0.0
Inknown	0	0	-	-	21	78	-	-	-	-
	49	180	100%	180	209	771	100%	771	952	100%

RACCOON


The 2021-22 resident raccoon season was open statewide and year-round. The nonresident raccoon season was restricted to December 1, 2021 - March 15, 2022. Residents aged 16 and older holding a predator/varmint, furbearer or any type of hunting license were eligible to hunt raccoons and residents holding a furbearer license were eligible to trap raccoons. Resident youth under age 16 were not required to have any license to trap or hunt raccoons. Nonresidents holding a predator/varmint, or any type of hunting license were eligible to hunt raccoons, and nonresidents holding a furbearer license were eligible to trap raccoons.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 28,328 raccoons were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported raccoon harvest densities were Yankton, Moody, Union, Clay, and Hanson.

Comparison of the 2012-2021 Raccoon seasons

	Furbeard	er Licenses	Active Hun	ters/Trappers	Har	vest	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	51,181	11,809	4.87	4.42
2013	4,745	19	2,641	14	46,054	10,143	4.63	4.44
2014	4,227	12	2,304	10	38,620	12,493	4.89	5.00
2015	3,940	14	2,065	14	29,936	8,290	4.93	4.40
2016	3,620	11	1,804	5	16,672	5,873	4.95	5.00
2017	3,915	17	2,120	15	21,754	5,850	5.05	5.63
2018	4,154	14	2,168	12	19,247	5,665	4.97	5.44
2019	4,334	17	2,237	13	22,520	5,937	5.09	4.43
2020	4,689	15	2,295	15	21,529	4,746	5.22	5.50
2021	4,726	13	2,200	0	22,775	5,553	5.21	NA



2021-22 Raccoon Harvest

00////		UNTING HARVE				APPING HARVE				0/ -6
COUNTY	# Reported	# Projected	% of Total	# Proj w/ Unk *	# Reported	# Projected	% of Total	# Proj w/ Unk *	Total Harvest	% of Total
linnehaha ennington	35 7	129 26	2.4 0.5	131 26	327 35	1,212 130	6.2 0.7	1,404 150	1,535 176	5.4 0.6
Frown	4	15	0.3	15	39	145	0.7	167	182	0.6
eadle	18	66	1.2	67	56	208	1.1	240	308	1.1
Codington	8	30	0.5	30	20	74	0.4	86	116	0.4
Brookings	19	70	1.3	71	166	615	3.1	713	784	2.8
ankton	108	399	7.3	404	274	1.015	5.2	1.176	1.580	2.6 5.6
Davison	14	52	0.9	52	40	1,013	0.8	172	224	0.8
awrence	0	0	0.0	0	0	0	0.0	0	0	0.0
urora	5	18	0.3	19	25	93	0.5	107	126	0.4
Bennett	1 0	1 0	0.0	0 1	1 0	0	0.0	I 0 I	0	0.0
Bon Homme	0	0	0.0	0	89	330	1.7	382	382	1.3
Brule	4	15	0.3	15	77	285	1.5	331	346	1.2
Buffalo	0	0	0.0	0	15	56	0.3	64	64	0.2
Butte	104	384	7.0	389	46	170	0.9	197	586	2.1
Campbell	5	18	0.3	19	24	89	0.5	103	122	0.4
Charles Mix	22	81	1.5	82	148	548	2.8	635	718	2.5
Clark	7	26	0.5	26	118	437	2.2	507	533	1.9
Clay	40	148	2.7	149	252	934	4.8	1,082	1,231	4.3
Corson	9	33	0.6	34	15	56	0.3	64	98	0.3
Custer	5	18	0.3	19	4	15	0.1	17	36	0.1
Day	60	222	4.0	224	147	545	2.8	631	855	3.0
Deuel	15	55	1.0	56	54	200	1.0	232	288	1.0
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
ouglas	68	251	4.6	254	19	70	0.4	82	336	1.2
dmunds	108	399	7.3	404	297	1,101	5.6	1,275	1,679	5.9
all River	0	0	0.0	0	11	41	0.2	47	47	0.2
aulk	0	0	0.0	0	232	860	4.4	996	996	3.5
Grant	6	22	0.4	22	56	208	1.1	240	263	0.9
Gregory	75	277	5.0	280	201	745	3.8	863	1,143	4.0
laakon	75	277	5.0	280	68	252	1.3	292	572	2.0
łamlin	62	229	4.2	232	97	359	1.8	416	648	2.3
land	1	4	0.1	4	53	196	1.0	228	231	0.8
lanson	95	351	6.4	355	117	434	2.2	502	857	3.0
larding	1	4	0.1	4	48	178	0.9	206	210	0.7
lughes	15	55	1.0	56	28	104	0.5	120	176	0.6
lutchinson	71	262	4.8	265	59	219	1.1	253	519	1.8
lyde	0	0	0.0	0	25	93	0.5	107	107	0.4
ackson	0	0	0.0	0	35	130	0.7	150	150	0.5
erauld	9	33	0.6	34	45	167	0.8	193	227	0.8
ones	1	4	0.1	4	16	59	0.3	69	72	0.3
Cingsbury	53	196	3.6	198	253	938	4.8	1,086	1,284	4.5
ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	36	133	2.4	135	45	167	0.8	193	328	1.2
yman	10	37	0.7	37	25	93	0.5	107	145	0.5
1cCook	1	4	0.1	4	56	208	1.1	240	244	0.9
1cPherson	0	0	0.0	0 37	0	0	0.0	0 228	0 265	0.0
1arshall 1eade	10	37 37	0.7	37	53 87	196 322	1.0	374	411	0.9
leade Iellette	10		0.7 0.1	7	25	93	1.6 0.5	107	115	1.5 0.4
finer	30	7 111	2.0	112	151	560	2.8	648	760	2.7
liner loody	2	7	0.1	7	250	926	2.8 4.7	1,073	1,081	3.8
erkins	27	100	1.8	7 101	250 101	926 374	1.9	434	535	1.9
otter	0	0	0.0	0	107	374 397	2.0	459	459	1.9
Roberts	16	59	1.1	60	55	397 204	1.0	236	459 296	1.0
anborn	60	222	4.0	224	45	167	0.8	193	417	1.5
pink	58	214	3.9	217	208	771	3.9	893	1,110	3.9
tanley	0	0	0.0	0	24	89	0.5	103	103	0.4
ully	13	48	0.9	49	4	15	0.1	17	66	0.4
ripp	29	107	2.0	108	29	107	0.5	125	233	0.8
urner	29	7	0.1	7	29	78	0.4	90	98	0.8
Inion	26	96	1.7	97	359	1,330	6.8	1,541	1,638	5.8
Valworth	23	85	1.5	86	13	48	0.8	56	142	0.5
iebach	1 0	0	0.0	0	1 0	0	0.0	I 0 I	0	0.0
oglala Lakota	0	0	0.0	0	11	41	0.0	47	47	0.0
odd	2	7	0.0	7	5	19	0.1	21	29	0.1
Jnknown	18	66			841	3,116	-		-	
TOTALS:	1,504	5,553	100%	5,553	6,146	22,775	100%	22,775	28,328	100%

Includes unknown county projection values by assuming unknown county values are distributed the same as reported county values. Total values may be different due to rounding.

<u>BADGER</u>


The 2021-22 badger season was open statewide and year-round. Residents aged 16 and older holding a predator/varmint, furbearer or any type of hunting license were eligible to hunt badgers and residents holding a furbearer license were eligible to trap badgers. Resident youth under age 16 were not required to have any license to trap or hunt badgers. Nonresidents holding a predator/varmint, or any type of hunting license were eligible to hunt badgers, and nonresidents holding a furbearer license were eligible to trap badgers.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 1,343 badgers were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported badger harvest densities were Hyde, Yankton, Edmunds, Davison, and Clay.

Comparison of the 2012-2021 Badger seasons

	Furbeard	er Licenses	Active Hun	ters/Trappers	Harv	/est	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	2,505	644	4.87	4.42
2013	4,745	19	2,641	14	1,597	308	4.63	4.44
2014	4,227	12	2,304	10	1,400	294	4.89	5.00
2015	3,940	14	2,065	14	1,937	361	4.93	4.40
2016	3,620	11	1,804	5	881	303	4.95	5.00
2017	3,915	17	2,120	15	1,515	372	5.05	5.63
2018	4,154	14	2,168	12	1,090	290	4.97	5.44
2019	4,334	17	2,237	13	941	281	5.09	4.43
2020	4,689	15	2,295	15	1,344	296	5.22	5.50
2021	4,726	13	2,200	0	1,104	239	5.21	NA



2021-22 Badger Harvest

COUNTY		UNTING HARVE	% of Total	# Proj w/ Unk *		# Projected		# Proj w/ Unk *	Total Harvast	% of Tota
	# Reported	# Projected 0		# Proj W/ Unk	# Reported	# Projected 4	% of Total	4 4	Total Harvest 4	% of Total
innehaha	2	7	0.0 4.2	10	2	7	0.4	9	19	0.3 1.4
ennington rown	1	4	2.1	5	6	22	2.3	26	31	2.3
						4				
eadle	0	0	0.0	0	0		0.4	0	4	0.3
odington			0.0	0		0	0.0	47	0 47	0.0
rookings	0	0	0.0	0	11	40	4.3			3.5
ankton	0	0	0.0	0	21	77	8.2	91	91	6.7
avison	4	15	8.3	20	4	15	1.6	17	37	2.8
awrence	0	0	0.0	0	0	0	0.0	0	0	0.0
urora	0	0	0.0	0	1	4	0.4	4	4	0.3
ennett	0	0	0.0	0	2	7	0.8	9	9	0.6
on Homme	0	0	0.0	0	7	26	2.7	30	30	2.2
rule	2	7	4.2	10	14	52	5.5	60	70	5.2
uffalo	0	0	0.0	0	8	29	3.1	35	35	2.6
utte	0	0	0.0	0	1	4	0.4	4	4	0.3
ampbell	3	11	6.3	15	5	18	2.0	22	37	2.7
harles Mix	0	0	0.0	0	0	0	0.0	0	0	0.0
lark	Ö	Ō	0.0	0	2	7	0.8	9	9	0.6
lay	Ö	ő	0.0	Ö	10	37	3.9	43	43	3.2
orson	2	7	4.2	10	0	0	0.0	0	10	0.7
uster	0	l o	0.0	1 0 1	1 0	1 0	0.0	1 0 1	0	0.0
ay	0	0	0.0	0	6	22	2.3	26	26	1.9
euel	0	0	0.0	0	0	0	0.0	0	0	0.0
	0	0		0		0		0	0	
ewey	1	4	0.0 2.1	5	0	4	0.0	4	9	0.0
ouglas					1 1					
dmunds	8	30	16.7	40	23	85	9.0	99	139	10.4
all River	0	0	0.0	0	10	37	3.9	43	43	3.2
aulk	0	0	0.0	0	8	29	3.1	35	35	2.6
rant	0	0	0.0	0	2	7	0.8	9	9	0.6
regory	0	. 0	0.0	. 0	9	. 33	3.5	39	39	2.9
laakon	1	4	2.1	5	6	22	2.3	26	31	2.3
lamlin	0	0	0.0	0	0	0	0.0	0	0	0.0
and	0	0	0.0	0	11	40	4.3	47	47	3.5
anson	4	15	8.3	20	3	11	1.2	13	33	2.4
larding	0	0	0.0	0	3	11	1.2	13	13	1.0
lughes	0	0	0.0	0	2	7	0.8	9	9	0.6
lutchinson	2	7	4.2	10	3	11	1.2	13	23	1.7
lyde	0	0	0.0	0	32	118	12.5	138	138	10.3
ackson	Ö	ő	0.0	Ö	0	0	0.0	0	0	0.0
erauld	1 0	l ő	0.0	0 1	4	15	1.6	17	17	1.3
ones	1	4	2.1	5	0	0	0.0	0	5	0.4
	0	0	0.0		0	0		0	0	
ingsbury				0			0.0			0.0
ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	0	0	0.0	0	0	0	0.0	0	0	0.0
yman	0	0	0.0	0	1	4	0.4	4	4	0.3
lcCook	0	0	0.0	0	0	0	0.0	0	0	0.0
IcPherson	0	. 0	0.0	0	0	. 0	0.0	0	0	0.0
larshall	0	0	0.0	0	1	4	0.4	4	4	0.3
leade	0	0	0.0	0	1	4	0.4	4	4	0.3
lellette	0	0	0.0	0	0	0	0.0	0	0	0.0
liner	0	0	0.0	0	1	4	0.4	4	4	0.3
loody	0	0	0.0	0	0	0	0.0	0	0	0.0
erkins	2	7	4.2	10	1	4	0.4	4	14	1.1
otter	0	0	0.0	0	0	0	0.0	0	0	0.0
oberts	0	0	0.0	0	0	0	0.0	0	0	0.0
anborn	1 0	l ő	0.0	I 0 I	1 0	l ő	0.0	l ŏ l	0	0.0
pink	1	4	2.1	5	9	33	3.5	39	44	3.3
tanley	0	0	0.0	0	2	7	0.8	9	9	0.6
ully	3	11	6.3	15	3	11	1.2	13	28	2.1
ripp	10	37	20.8	50	5	18	2.0	22	71	5.3
urner	0	0	0.0	0	1	4	0.4	4	4	0.3
nion	0	0	0.0	0	5	18	2.0	22	22	1.6
/alworth	0	0	0.0	0	6	22	2.3	26	26	1.9
iebach	0	0	0.0	0	0	0	0.0	0	0	0.0
glala Lakota	1	4	2.1	5	1	4	0.4	4	9	0.7
odd	0	0	0.0	0	0	0	0.0	0	0	0.0
nknown	16	60		- 1	44	162	-	-	-	-
OTALS:	64	239	100%	239	300	1,104	100%	1,104	1,343	100%

OPOSSUM


The 2021-22 opossum season was open statewide and year-round. Residents aged 16 and older holding a furbearer license were eligible to hunt or trap opossums. Resident youth under age 16 were not required to have any license to trap or hunt opossums. Nonresidents holding a furbearer license were eligible to hunt or trap opossums.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 4,853 opossums were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported opossum harvest densities were Walworth, Brule, Yankton, Codington, and Edmunds.

Comparison of the 2012-2021 Opossum seasons

	Furbeard	er Licenses	Active Hun	ters/Trappers	Harv	/est	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	4,037	276	4.87	4.42
2013	4,745	19	2,641	14	4,208	381	4.63	4.44
2014	4,227	12	2,304	10	2,505	387	4.89	5.00
2015	3,940	14	2,065	14	3,024	351	4.93	4.40
2016	3,620	11	1,804	5	3,496	843	4.95	5.00
2017	3,915	17	2,120	15	4,499	372	5.05	5.63
2018	4,154	14	2,168	12	3,980	664	4.97	5.44
2019	4,334	17	2,237	13	3,003	401	5.09	4.43
2020	4,689	15	2,295	15	3,321	369	5.22	5.50
2021	4,726	13	2,200	0	4,295	559	5.21	NA



2021-22 Opossum Harvest

COUNTY	# Reported	UNTING HARVE: # Projected	% of Total	# Proj w/ Unk *	# Reported	APPING HARVE # Projected	% of Total	# Proj w/ Unk *	Total Harvest	% of Total
1innehaha	0	0	0.0	0	46	170	4.7	203	203	4.2
ennington	2	7	1.4	8	22	81	2.3	97	105	2.2
rown	0	0	0.0	0	0	0	0.0	0	0	0.0
eadle	0	0	0.0	0	29	107	3.0	128	128	2.6
odington	10	37	6.8	38	44	163	4.5	194	232	4.8
Brookings	0	0	0.0	0	1	4	0.1	4	4	0.1
ankton	0	0	0.0	0	41	152	4.2	181	181	3.7
Davison	0	0	0.0	0	1	4	0.1	4	4	0.1
awrence	0	0	0.0	0	Ó	0	0.0	0	0	0.0
	0	0	0.0	0	0		0.0	0		0.0
Aurora						0			0	
Bennett	6	22	4.1	23	63	233	6.5	277	300	6.2
Bon Homme	0	0	0.0	0	8	30	0.8	35	35	0.7
Brule	0	0	0.0	0	118	436	12.1	520	520	10.7
Buffalo	0	0	0.0	0	1	4	0.1	4	4	0.1
Butte	0	0	0.0	0	0	0	0.0	0	0	0.0
Campbell	0	0	0.0	0	0	0	0.0	0	0	0.0
Charles Mix	19	70	13.0	73	47	174	4.8	207	280	5.8
Clark	0	0	0.0	0	0	0	0.0	0	0	0.0
Clay	0	0	0.0	0	8	30	0.8	35	35	0.7
Corson	0	0	0.0	0	0	0	0.0	0	0	0.0
Custer	33	121	22.6	126	1 11	41	1.1	48	175	3.6
Day	0	0	0.0	0	0	0	0.0	0	0	0.0
Deuel	0	0	0.0	0	0	0	0.0	0	0	0.0
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
Douglas	0	0	0.0	0	5	18	0.5	22	22	0.5
dmunds	3	11	2.1	11	80	296	8.2	352	364	7.5
all River	0	0	0.0	0	0	0	0.0	0	0	0.0
		22			12		1.2		76	
aulk	6		4.1	23		44		53		1.6
Grant	0	0	0.0	0	6	22	0.6	26	26	0.5
Gregory	0	0	0.0	0	37	137	3.8	163	163	3.4
laakon	0	0	0.0	0	0	0	0.0	0	0	0.0
lamlin	0	0	0.0	0	0	0	0.0	0	0	0.0
land	7	26	4.8	27	6	22	0.6	26	53	1.1
Hanson	0	0	0.0	0	13	48	1.3	57	57	1.2
Harding	0	0	0.0	0	0	0	0.0	0	0	0.0
Hughes	0	0	0.0	0	0	0	0.0	0	0	0.0
Hutchinson	0	0	0.0	0	0	0	0.0	0	0	0.0
Hyde	0	0	0.0	0	3	11	0.3	13	13	0.3
Jackson	0	0	0.0	0	0	0	0.0	0	0	0.0
Jerauld	0	0	0.0	0	0	0	0.0	0	0	0.0
lones	0	0	0.0	0	16	59	1.6	70	70	1.5
Kingsbury	0	0	0.0	0	0	0	0.0	0	0	0.0
ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	0	0	0.0	0	5	18	0.5	22	22	0.5
.yman	0	0	0.0	0	0	0	0.0	0	0	0.0
Jordan McCook	0	0	0.0	0	0	0	0.0	0	0	0.0
AcPherson	0	0	0.0	0	0	0	0.0	0	0	0.0
//arshall	3	11	2.1	11	6	22	0.6	26	38	0.8
/leade	14	51	9.6	54	100	370	10.3	440	494	10.2
<u>lellette</u>	0	0	0.0	0	20	74	2.1	88	88	1.8
liner	0	0	0.0	0	0	0	0.0	0	0	0.0
loody	0	0	0.0	0	0	0	0.0	0	0	0.0
Perkins	0	0	0.0	0	0	0	0.0	0	0	0.0
Potter	0	0	0.0	0	0	0	0.0	0	0	0.0
Roberts	. 0	. 0	0.0	. 0	6	22	0.6	26	26	0.5
Sanborn	1	4	0.7	4	19	70	1.9	84	88	1.8
pink	0	0	0.0	0	6	22	0.6	26	26	0.5
Stanley	0	0	0.0	0	0	0	0.0	0	0	0.0
Sully	0	0	0.0	0	0	0	0.0	0	0	0.0
ripp	0	Ö	0.0	0	0	0	0.0	0	0	0.0
urner	1	4	0.7	4	10	37	1.0	44	48	1.0
Jnion	0	0	0.0	0	4	15	0.4	18	18	0.4
	1			4						
Valworth		4	0.7		140	517	14.4	617	620	12.8
iebach	0	0	0.0	0	0	0	0.0	0	0	0.0
Oglala Lakota	40	147	27.4	153	41	152	4.2	181	334	6.9
odd	0	0	0.0	0	0	0	0.0	0	0	0.0
Jnknown	6	22	-	-	187	691	-	-	-	
OTALS:	152	559	100%	559	1,162	4,295	100%	4,295	4,853	100%

Includes unknown county projection values by assuming unknown county values are distributed the same as reported county values. Total values may be different due to rounding.

STRIPED SKUNK


The 2021-22 striped skunk season was open statewide and year-round. Residents aged 16 and older holding a predator/varmint, furbearer or any type of hunting license were eligible to hunt striped skunks and residents holding a furbearer license were eligible to trap striped skunks. Resident youth under age 16 were not required to have any license to trap or hunt striped skunks. Nonresidents holding a predator/varmint, or any type of hunting license were eligible to hunt striped skunks, and nonresidents holding a furbearer license were eligible to trap striped skunks.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 11,908 striped skunks were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported striped skunk harvest densities were Davison, Clay, Edmunds, Hanson, and Brookings.

Comparison of the 2012-2021 Striped Skunk seasons

	Furbear	er Licenses	Active Hun	ters/Trappers	Har	/est	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	20,682	4,070	4.87	4.42
2013	4,745	19	2,641	14	11,624	1,850	4.63	4.44
2014	4,227	12	2,304	10	9,913	2,055	4.89	5.00
2015	3,940	14	2,065	14	10,336	2,238	4.93	4.40
2016	3,620	11	1,804	5	5,366	1,478	4.95	5.00
2017	3,915	17	2,120	15	6,712	1,071	5.05	5.63
2018	4,154	14	2,168	12	5,173	1,272	4.97	5.44
2019	4,334	17	2,237	13	5,673	1,315	5.09	4.43
2020	4,689	15	2,295	15	8,024	1,435	5.22	5.50
2021	4,726	13	2,200	0	10,145	1,763	5.21	NA



2021-22 Striped Skunk Harvest

Internation 16 99 3.4 61 88 305 3.9 399 459 3.1			UNTING HARVE				RAPPING HARVE				
Penningtion 4		# Reported	# Projected			# Reported					% of Tota
rown 10 37 22 38 8 30 0.4 36 74 0.0 sealed 12 44 2.6 45 72 206 3.2 336 372 3.3 colington 4 16 0.3 11 34 126 1.5 154 169 1.1 sealed 40 148 8.6 157 223 81 1.0 100 251 2.3 sealed 40 148 8.6 157 223 81 1.0 100 251 2.3 sealed 40 148 8.6 157 223 81 1.0 100 251 2.3 sealed 40 148 8.6 157 233 81 1.0 100 251 2.3 sealed 40 148 8.6 157 233 81 1.0 100 251 2.3 sealed 40 148 8.6 157 233 81 1.0 100 251 2.3 sealed 40 148 8.6 157 233 81 1.0 100 251 2.3 sealed 40 40 40 40 40 40 40 4											3.9
aeade 12 44 2.6 45 72 266 3.2 326 372 3.3 colorigin 4 15 0.9 15 34 126 1.5 154 169 1.5 154 1.5											0.5
Codenging 4											0.6
rockings 15 55 3.2 57 123 454 5.5 557 614 5.5 and the process of t											3.1
Sankton 40 148 8.6 152 22 81 1.0 100 251 2. Awserson 30 111 6.5 114 42 155 1.9 190 304 22 4. Awserson 40 0 0 0 0 0 0 0 1 1 2 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1											1.4
Service Serv											5.2
awrence 0 0 0 0 0 0 0 1 4 0 0 5 5 0 0 0 0 1 4 0 0 5 5 5 0 0 0 0 0 0 1 1 4 0 0 5 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1											2.1
surpreserved 4 15 0.9 15 29 107 1.3 131 147 1.1 sehenet 1 4 4 0.2 4 3 11 0.1 1.4 17 0.0 son Hemme 0 0 0 0 0.0 0 0 183 67 0.8 8 22 82 0.0 son Hemme 0 0 0 0 0.0 0 0 113 44 5.0 5.0 5.07 5.07 0.4 son Hemme 0 0 0 0 0.0 0 0 113 44 6.0 5.0 5.07 5.07 0.4 son Hemme 0 0 0 0 0 0 0 113 44 6.0 5.0 5.07 5.07 0.4 son Hemme 0 0 0 0 0 0 0 1 1 4 0 0 5 5 5 0.0 son Hemme 0 0 0 0 0 0 1 1 4 0 0 5 5 5 0.0 son Hemme 0 0 0 0 0 0 1 1 4 0 0 5 5 5 0.0 son Hemme 0 0 0 0 0 0 1 1 4 0 0 5 5 5 0.0 son Hemme 0 0 0 0 0 0 1 1 4 0 0 5 5 5 0.0 son Hemme 0 0 0 0 0 0 1 1 4 0 0 5 5 5 0.0 son Hemme 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0											2.6
Remett						•	•				
Bothemme O											1.2
Studies											0.1
sulfate 0 0 0 0 11 41 0.5 50 50 50 buttle buttle 6 22 1.3 23 112 44 0.5 54 477 0.0 Lampbell 0 0 0 0 1 4 0.0 5 5 0.0 Lampbell 0 0 0 0 0 0 33 331 38 22 Lampbell 0 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.7</td></td<>											0.7
Substitute 6	Brule										4.3
Campbell 0											0.4
Panies Nix 2	Butte	6	22	1.3	23	12	44	0.5	54	77	0.6
Service Serv			0				•				0.0
Display 0											2.8
Derson 0											3.9
Duster 2											5.0
Display											0.0
Delice 12	Custer	2	7	0.4		31		1.4			1.2
Deuel 12	Day										1.8
Douglas 50 185 10.8 190 1 4 0.0 5 194 11.		12	44	2.6	45	49	181	2.2	222	267	2.2
Douglas 50 185 10.8 190 1 4 0.0 5 194 11.	Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
rail River 3 11 0.6 11 30 111 1.3 136 147 1.7 alaik 0 0 0 0 0 0 0 42 155 1.9 190 190 141 37 ant 4 15 0.9 15 32 118 1.4 145 160 1.7 argory 6 22 1.3 23 88 325 3.9 399 421 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 25 70 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Douglas	50	185	10.8	190	1	4	0.0	5	194	1.6
rail River 3 11 0.6 11 30 111 1.3 136 147 1.7 alaik 0 0 0 0 0 0 0 42 155 1.9 190 190 141 37 ant 4 15 0.9 15 32 118 1.4 145 160 1.7 argory 6 22 1.3 23 88 325 3.9 399 421 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 70 259 15.1 265 35 129 1.6 159 424 33. 48 akon 70 25 70 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Edmunds	52	192	11.2	197	226	835	10.1	1,024	1,221	10.3
Faulk 0 0 0 0 0 0 0 0 0 0 15 32 1155 1.9 190 190 1.1 37 37 37 4 15 32 118 1.4 145 160 1.5 37 38 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 325 3.9 399 421 3.3 38 32 32 32 32 32 32 32 32 32 32 32 32 32						30				147	1.2
Tringtory 6 22 1.3 23 88 325 3.9 399 421 3.3 18akon 70 259 15.1 265 35 129 1.6 159 424 3.4 18mln 15 55 32 15.7 662 229 2.8 281 338 2.1 18mln 15 55 32 2 57 62 229 2.8 281 338 2.1 18mln 15 55 35 3.2 57 662 229 2.8 281 338 2.1 18mln 15 55 55 3.2 57 662 229 2.8 281 338 2.1 18mln 1 15 55 55 3.2 57 662 229 3.8 281 338 2.1 18mln 1 15 55 55 3.2 57 662 229 3.8 281 338 2.1 18mln 1 15 50 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0						42	155			190	1.6
Singeony 6											1.3
Haskon 70 259 15.1 265 35 129 1.6 159 424 3.1 34min 15 55 3.2 57 62 229 2.8 281 338 2.4 334 324 334 324 334 324 336 325 327 327 327 328 336 336 336 337 337 338 336 336 337 337 338 336 336 337 337 338 336 336 336 337 337 338		6									3.5
Hamlin											3.6
Hand											2.8
Hanson											1.8
Harding											3.1
Hughes 0 0 0.0 0 34 126 1.5 154 154 1.1 Hughes 2 7 0.4 8 7 26 0.3 32 39 0.2 Hyde 2 7 0.4 8 9 33 0.4 41 48 0.4 Jerauld 2 7 0.4 8 12 44 0.5 54 62 0.3 Jones 3 11 0.6 11 21 78 0.9 95 106 0.9 Jones 3 11 0.6 11 30 111 1.3 136 147 1.1 Jake 0 <td></td>											
Hutchinson 2											
-lyde											
Section Color Co											
											1.0
Jones 3											
Gingsbury 3 11 0.6 11 30 111 1.3 136 147 1.3 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4											
Larke 0 0 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0											
Lincoln											
Lyman 2 7 0.4 8 9 33 0.4 41 48 0.4 McCook 0 0 0.0 0 7 26 0.3 32 32 03 Marshall 4 15 0.9 15 26 96 1.2 118 133 1. Meade 2 7 0.4 8 44 163 2.0 199 207 1. Mellette 4 15 0.9 15 30 111 1.3 136 151 1. Wellette 4 15 0.9 15 30 111 1.3 136 151 1. Wellette 4 15 0.9 15 30 111 1.3 136 151 1. Wellette 4 15 0.9 15 30 11 1.3 136 151 1. Portition 1 4		1									
McCook 0 0 0.0 0 7 26 0.3 32 32 0.3 McPherson 0		1									
McPherson 0 1 1 1 1 1 1 1 1 3 1 1 1 1 3 1 1 1 1 1 3 1 2 2 1 3 1 1 1			•								
Marshall 4 15 0.9 15 26 96 1.2 118 133 1. deade 2 7 0.4 8 44 163 2.0 199 207 1. dellette 4 15 0.9 15 30 111 1.3 136 151 1. diner 0 0 0.0 0 13 48 0.6 59 59 0.3 doody 1 4 0.2 4 21 78 0.9 95 99 0.3 Perkins 14 52 3.0 53 21 78 0.9 95 99 0.3 Perkins 14 52 3.0 53 21 78 0.9 95 99 0.3 Perkins 14 52 3.0 53 21 78 0.9 95 99 0.3 Sobetts 6 22											
Meade 2 7 0.4 8 44 163 2.0 199 207 1. Mellette 4 15 0.9 15 30 111 1.3 136 151 1. Moody 1 4 0.2 4 21 78 0.9 95 59 0.0 Moody 1 4 0.2 4 21 78 0.9 95 99 0.1 Verkins 14 52 3.0 53 21 78 0.9 95 199 0.1 Potter 5 18 1.1 19 5 18 0.2 23 42 0.3 Roberts 6 22 1.3 23 30 111 1.3 136 159 1. Roberts 6 22 1.3 23 30 111 1.3 136 159 1. Sanborn 4 15											
Mellette 4 15 0.9 15 30 111 1.3 136 151 1.3 Miner 0 0 0.0 0 13 48 0.6 59 59 0.3 Modody 1 4 0.2 4 21 78 0.9 95 99 0.8 Perkins 14 52 3.0 53 21 78 0.9 95 148 1.2 Potter 5 18 1.1 19 5 18 0.2 23 42 0.3 Scheits 6 22 1.3 23 30 111 1.3 136 159 1.3 Sanborn 4 15 0.9 15 23 85 1.0 104 119 1.4 Stanley 2 7 0.4 8 12 244 0.5 54 62 0.5 Stanley 6 22											
Miner 0 0 0.0 0 13 48 0.6 59 59 0.3 Aloody 1 4 0.2 4 21 78 0.9 95 99 0.3 Perkins 14 52 3.0 53 21 78 0.9 95 148 1.2 Potter 5 18 1.1 19 5 18 0.2 23 42 0.3 Roberts 6 22 1.3 23 30 111 1.3 136 159 1.3 Sanborn 4 15 0.9 15 23 85 1.0 104 119 1.3 Sanborn 4 15 0.9 15 23 85 1.0 104 119 1.3 Stanley 2 7 0.4 8 12 240 2.9 294 306 2.1 Stanley 6 22											
Moody 1 4 0.2 4 21 78 0.9 95 99 0.1 Perkins 14 52 3.0 53 21 78 0.9 95 148 1.2 Poteter 5 18 1.1 19 5 18 0.2 23 42 0.3 Roberts 6 22 1.3 23 30 111 1.3 136 159 1.3 Sanborn 4 15 0.9 15 23 85 1.0 104 119 1.0 Spink 3 11 0.6 11 65 240 2.9 294 306 2.0 Stanley 2 7 0.4 8 12 44 0.5 54 62 0.3 Stanley 2 7 0.4 8 12 44 0.5 54 62 0.3 Stully 6 22											
Perkins 14 52 3.0 53 21 78 0.9 95 148 1.7 ottler 5 18 1.1 19 5 18 0.2 23 42 0.3 ottler 6 22 1.3 23 30 111 1.3 136 159 1.3 ottler 7 ottler 7 ottler 8 6 22 1.3 23 30 111 1.3 136 159 1.3 ottler 8											
Potter 5 18 1.1 19 5 18 0.2 23 42 0.3 Roberts 6 22 1.3 23 30 111 1.3 136 159 1.3 Ranborn 4 15 0.9 15 23 85 1.0 104 119 1.0 Right 3 11 0.6 11 65 240 2.9 294 306 2.0 Right 6 22 7 0.4 8 12 44 0.5 54 62 0.5 Right 7 0.6 11 15 55 0.7 68 79 0.5 Right 7 0.6 11 15 55 0.7 68 79 0.5 Right 7 0.0 0 0 0 0 0 0 5 8 0.5 Right 13 48 2.8 49 20 74 0.9 91 140 1.3 Right 13 48 2.8 49 20 74 0.9 91 140 1.3 Right 13 48 2.8 49 20 74 0.9 91 140 1.3 Right 13 48 2.8 49 20 74 0.9 91 140 1.3 Right 13 48 2.8 49 20 74 0.9 91 140 1.3 Right 14 21 0.0 Right 15 0.0 Right 15 0.0 Right 16 0.0 0 0.0 0 0 0 0 0.0 0 0 0 0 0 0 0 0		•									
Roberts 6 22 1.3 23 30 111 1.3 136 159 1.3 Samborn 4 15 0.9 15 23 85 1.0 104 119 1.1 Spink 3 11 0.6 11 65 240 2.9 294 306 2.6 Stanley 2 7 0.4 8 12 44 0.5 54 62 0.3 Sully 6 22 1.3 23 6 22 0.3 27 50 0.4 Fripp 3 11 0.6 11 15 55 0.7 68 79 0.7 Furner 1 4 0.2 4 1 4 0.0 5 8 0.7 Furner 1 4 0.2 4 1 4 0.0 5 8 0.7 Valworth 13 48 2.8<											
Sanborn 4 15 0.9 15 23 85 1.0 104 119 1.1 Spink 3 11 0.6 11 65 240 2.9 294 306 2.1 Stanley 2 7 0.4 8 12 44 0.5 54 62 0.5 Sully 6 22 1.3 23 6 22 0.3 27 50 0. Finpp 3 11 0.6 11 15 55 0.7 68 79 0. Fumer 1 4 0.2 4 1 4 0.0 5 8 0. Jnion 0 0 0.0 0 23 85 1.0 104 104 0. Valworth 13 48 2.8 49 20 74 0.9 91 140 1. Yelebach 0 0 0.0 <td></td>											
Spink 3 11 0.6 11 65 240 2.9 294 306 2.6 Stanley 2 7 0.4 8 12 44 0.5 54 62 0.3 Sully 6 22 1.3 23 6 22 0.3 27 50 0.0 Fripp 3 11 0.6 11 15 55 0.7 68 79 0.7 Furner 1 4 0.2 4 1 4 0.0 5 8 0.0 Julion 0 0 0.0 0 23 85 1.0 104 104 0.9 Valworth 13 48 2.8 49 20 74 0.9 91 140 1.2 Ziebach 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0											
Stanley 2 7 0.4 8 12 44 0.5 54 62 0.8 5ully 6 22 1.3 23 6 22 0.3 27 50 0.4 5ully 6 22 1.3 23 6 22 0.3 27 50 0.4 5ully 6 22 1.3 11 0.6 11 15 55 0.7 68 79 0.7 5uner 1 4 0.2 4 1 4 1 4 0.0 5 8 0.7 68 79 0.7 5uner 1 4 0.2 4 1 4 1 4 0.0 5 8 0.7 6	Dai DUIII						85				
Sully 6 22 1.3 23 6 22 0.3 27 50 0.4 Fripp 3 11 0.6 11 15 55 0.7 68 79 0.7 Furner 1 4 0.2 4 1 4 0.0 5 8 0.7 Jnion 0 0 0.0 0 23 85 1.0 104 104 0.9 Walworth 13 48 2.8 49 20 74 0.9 91 140 1.2 Ziebach 0											
Tripp 3 11 0.6 11 15 55 0.7 68 79 0.7 umer 1 4 0.2 4 1 4 0.0 5 8 0.7 limiter 1 4 0.2 4 1 4 0.0 5 8 0.7 limiter 1 3 48 2.8 49 20 74 0.9 91 140 1.2 liebach 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0.0 liebach 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0.0 liebach 0 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0											
Tumer 1 4 0.2 4 1 4 0.0 5 8 0.1 Inion 0 0 0 0.0 0 23 85 1.0 104 104 0.9 Valworth 13 48 2.8 49 20 74 0.9 91 140 1.2 Valbach 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0											
Union 0 0 0.0 0 23 85 1.0 104 104 0.9 Valworth 13 48 2.8 49 20 74 0.9 91 140 1.2 Ziebach 0 0 0.0 0 0 0.0 0											
Walworth 13 48 2.8 49 20 74 0.9 91 140 1.2 Jiebach 0 0 0.0 0 0 0.0 <		•				•					
Ziebach 0 0 0.0 0 0 0.0 0 0.0 Oglala Lakota 0 0 0.0 0 0 0.0 0											0.9
Oglala Lakota 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0<											1.2
Odd 2 7 0.4 8 3 11 0.1 14 21 0.2 Jnknown 12 44 - - 506 1,869 - - - - -											0.0
Jnknown 12 44 506 1,869											0.0
				0.4	8			0.1	14	21	0.2
TOTALS: 477 1.763 100% 1.763 2.746 10.145 100% 10.145 11.908 100				-	-	506		-	-	-	<u> </u>
	TOTALS:	477	1,763	100%	1,763	2,746	10,145	100%	10,145	11,908	100%

SPOTTED SKUNK


The 2021-22 spotted skunk season was open statewide and year-round. Residents aged 16 and older holding a predator/varmint, furbearer or any type of hunting license were eligible to hunt spotted skunks and residents holding a furbearer license were eligible to trap spotted skunks. Resident youth under age 16 were not required to have any license to trap or hunt spotted skunks. Nonresidents holding a predator/varmint, or any type of hunting license were eligible to hunt spotted skunks, and nonresidents holding a furbearer license were eligible to trap spotted skunks.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 37 spotted skunks were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported spotted skunk harvest densities were Faulk, Charles Mix, Hanson, Brule, and Aurora.

Comparison of the 2012-2021 Spotted Skunk seasons

	Furbeard	er Licenses	Active Hun	ters/Trappers	Har	/est	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	701	124	4.87	4.42
2013	4,745	19	2,641	14	329	68	4.63	4.44
2014	4,227	12	2,304	10	248	36	4.89	5.00
2015	3,940	14	2,065	14	301	43	4.93	4.40
2016	3,620	11	1,804	5	194	62	4.95	5.00
2017	3,915	17	2,120	15	174	72	5.05	5.63
2018	4,154	14	2,168	12	122	17	4.97	5.44
2019	4,334	17	2,237	13	49	5	5.09	4.43
2020	4,689	15	2,295	15	81	24	5.22	5.50
2021	4,726	13	2,200	0	33	4	5.21	NA



2021-22 Spotted Skunk Harvest

	н		ST DISTRIBUTION		T	RAPPING HARVE	ST DISTRIBUT	ON		
COUNTY	# Reported	# Projected	% of Total	# Proj w/ Unk *	# Reported	# Projected	% of Total	# Proj w/ Unk *	Total Harvest	% of Total
linnehaha	0	0	0.0	0	0	0	0.0	0	0	0.0
ennington	0	0	0.0	0	0	0	0.0	0	0	0.0
rown	0	0	0.0	0	0	0	0.0	0	0	0.0
Beadle	0	0	0.0	0	0	0	0.0	0	0	0.0
odington	0	0	0.0	0	0	0	0.0	0	0	0.0
Brookings	0	0	0.0	0	0	0	0.0	0	0	0.0
'ankton	0	0	0.0	0	0	0	0.0	0	0	0.0
Davison	0	0	0.0	0	0	0	0.0	0	0	0.0
awrence	0	0	0.0	0	0	0	0.0	0	0	0.0
Aurora	0	0	0.0	0	1 0	4	11.1	4	4	10.0
Bennett	0	0	0.0	0	0	0	0.0	0	0	0.0
Bon Homme Brule	0	0	0.0	0	0	4	0.0 11.1	0 4	<u> </u>	0.0 10.0
Buffalo	0	0	0.0	0	0	0	0.0	0	0	0.0
Butte	0	0	0.0	0	0	0	0.0	0	0	0.0
Campbell	0	0	0.0	0	0	0	0.0	0	0	0.0
Charles Mix	1	4	100.0	4	2	7	22.2	7	11	30.0
Clark	Ö	0	0.0	0	0	0	0.0	Ó	0	0.0
Clay	0	0	0.0	0	0	0	0.0	0	0	0.0
Corson	0	0	0.0	0	0	0	0.0	0	0	0.0
Custer	l 0	1 0	0.0	0 1	1 0	1 0	0.0	0	0	0.0
Day	0	0	0.0	0	0	0	0.0	0	0	0.0
Deuel	0	0	0.0	0	0	0	0.0	0	0	0.0
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
ouglas	0	0	0.0	0	0	0	0.0	0	0	0.0
dmunds	0	0	0.0	0	0	0	0.0	0	0	0.0
all River	0	0	0.0	0	0	0	0.0	0	0	0.0
aulk	0	0	0.0	0	4	15	44.4	15	15	40.0
Grant	0	0	0.0	0	0	0	0.0	0	0	0.0
Gregory	0	0	0.0	0	0	0	0.0	0	0	0.0
laakon	0	0	0.0	0	0	0	0.0	0	0	0.0
Hamlin	0	0	0.0	0	0	0	0.0	0	0	0.0
Hand	0	0	0.0	0	0	0	0.0	0	0	0.0
Hanson	0	0	0.0	0	1	4	11.1	4	4	10.0
Harding	0	0	0.0	0	0	0	0.0	0	0	0.0
lughes	0	0	0.0	0	0	0	0.0	0	0	0.0
Hutchinson	0	0	0.0	0	0	0	0.0	0	0	0.0
Hyde	0	0	0.0	0	0	0	0.0	0	0	0.0
Jackson	0	0	0.0	0	0	0	0.0	0	0	0.0
lerauld	0	0	0.0	0	0	0	0.0	0	0	0.0
lones	0	0	0.0	0	0	0	0.0	0	0	0.0
Kingsbury	0	0	0.0	0	0	0	0.0	0	0	0.0
_ake					1	0				
incoln yman	0	0	0.0 0.0	0	0	0	0.0 0.0	0 0	0	0.0 0.0
.yman ∕IcCook	0	0	0.0	0	0	0	0.0	0	0	0.0
McPherson	0	0	0.0	0	0	0	0.0	0	0	0.0
Marshall	0	1 0	0.0	0 1	1 0	1 0	0.0	1 0 1	0	0.0
Meade	0	0	0.0	0	0	0	0.0	0	0	0.0
Mellette	0	0	0.0	0	0	0	0.0	0	0	0.0
Miner	0	0	0.0	0	0	0	0.0	0	0	0.0
Moody	0	0	0.0	0	0	0	0.0	0	0	0.0
Perkins	Ö	ő	0.0	Ö	ő	Ö	0.0	ő	Ö	0.0
Potter	Ö	ő	0.0	Ö	ő	ő	0.0	ő	Ö	0.0
Roberts	Ö	Ö	0.0	Ö	ő	Ö	0.0	Ö	Ö	0.0
Sanborn	0	0	0.0	0	0	0	0.0	0	0	0.0
Spink	0	0	0.0	0	0	0	0.0	0	0	0.0
tanley	0	0	0.0	0	0	0	0.0	0	0	0.0
ully	0	0	0.0	0	0	0	0.0	0	0	0.0
ripp	0	0	0.0	0	0	0	0.0	0	0	0.0
urner	0	0	0.0	0	0	0	0.0	0	0	0.0
Jnion	0	0	0.0	0	0	0	0.0	0	0	0.0
Valworth	0	0	0.0	0	0	0	0.0	0	0	0.0
iebach .	0	0	0.0	0	0	0	0.0	0	0	0.0
Oglala Lakota	0	0	0.0	0	0	0	0.0	0	0	0.0
odd	0	0	0.0	0	0	0	0.0	0	0	0.0
	0	0	-	-	0	0	-		-	-
nknown							100%			

<u>MUSKRAT</u>


The 2021-22 resident muskrat season was open year-round west of the Missouri River and from November 1, 2021 through April 30, 2022 east of the Missouri River and in the Black Hills Fire Protection District south of Interstate 90 and west of Highway 79. No trapping was allowed on or in muskrat houses of any size east of the Missouri River after March 15. The nonresident muskrat season was restricted to Dec. 1, 2021 - March 15, 2022. Residents aged 16 and older holding a furbearer license were eligible to hunt or trap muskrats. Resident youth under age 16 were not required to have any license to trap or hunt muskrats. Nonresidents holding a furbearer license were eligible to hunt or trap muskrats. Shooting muskrats was allowed from April 1 through August 31 statewide only by landowners or lessees, including School and Public land surface lease holders, on land they own or operate and state, county, or township highway officials within public road rights-of-way.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 25,339 muskrats were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported muskrat harvest densities were Hamlin, Day, Codington, Clark, and Bon Homme.

Comparison of the 2012-2021 Muskrat seasons

	Furbeard	er Licenses	Active Hun	ters/Trappers	Har	/est	Satisfa	ction
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	58,068	1,773	4.87	4.42
2013	4,745	19	2,641	14	16,808	341	4.63	4.44
2014	4,227	12	2,304	10	24,137	452	4.89	5.00
2015	3,940	14	2,065	14	25,256	1,198	4.93	4.40
2016	3,620	11	1,804	5	18,717	255	4.95	5.00
2017	3,915	17	2,120	15	14,382	545	5.05	5.63
2018	4,154	14	2,168	12	20,678	319	4.97	5.44
2019	4,334	17	2,237	13	61,923	318	5.09	4.43
2020	4,689	15	2,295	15	92,477	307	5.22	5.50
2021	4,726	13	2,200	0	25,101	238	5.21	NA



2021-22 Muskrat Harvest

0011117			ST DISTRIBUTION			RAPPING HARVE				04
COUNTY	# Reported	# Projected	% of Total	# Proj w/ Unk *	# Reported	# Projected	% of Total	# Proj w/ Unk *	Total Harvest	% of Total
finnehaha ennington	0	0	0.0	0	27 5	99 18	0.6 0.1	138 26	138 26	0.5 0.1
rown	0	0	0.0	0	10	37	0.1	51	51	0.1
eadle	0	0	0.0	0	5	18	0.2	26	26	0.2
Codington	0	0	0.0	0	1417	5,195	28.9	7,259	7,259	28.6
rookings	0	0	0.0	0	0	0	0.0	0	0	0.0
ankton	Ö	Ö	0.0	Ö	Ö	Ö	0.0	Ö	Ö	0.0
Davison	Ö	Ō	0.0	Ö	2	7	0.0	10	10	0.0
awrence	0	0	0.0	0	0	0	0.0	0	0	0.0
urora	0	0	0.0	0	5	18	0.1	26	26	0.1
Bennett	0	0	0.0	0	0	0	0.0	0	0	0.0
on Homme	0	0	0.0	0	300	1,100	6.1	1,537	1,537	6.1
Brule	0	0	0.0	0	14	51	0.3	72	72	0.3
Buffalo	0	0	0.0	0	0	0	0.0	0	0	0.0
Butte	0	0	0.0	0	3	11	0.1	15	15	0.1
Campbell	0	0	0.0	0	150	550	3.1	768	768	3.0
Charles Mix	0	0	0.0	0	0	0	0.0	0	0	0.0
Clark	0	0	0.0	0	474	1,738	9.7	2,428	2,428	9.6
Clay	0	0	0.0	0	0	0	0.0	0	0	0.0
Corson	0	0	0.0	0	0	0	0.0	0	0	0.0
Custer	0	0	0.0	0	0	0	0.0	0	0	0.0
Day	0	0	0.0	0	914	3,351	18.7	4,682	4,682	18.5
Deuel	0	0	0.0	0	0	0	0.0	0	0	0.0
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
ouglas dmunds	0	0	0.0	0	0	0	0.0	0	0	0.0
all River	0	0	0.0	0	0	0	0.0	0	0	0.0
aulk	0	0	0.0	0	10	37	0.0	51	51	0.0
auik Grant	0	0	0.0	0	0	0	0.2	0	0	0.2
Gregory	12	44	19.7	47	13	48	0.0	67	113	0.0
laakon	0	0	0.0	0	20	73	0.3	102	102	0.4
lamlin	15	55	24.6	59	376	1,379	7.7	1,926	1,985	7.8
land	0	0	0.0	0	79	290	1.6	405	405	1.6
lanson	0	0	0.0	0	0	0	0.0	0	0	0.0
larding	0	0	0.0	0	2	7	0.0	10	10	0.0
lughes	Ö	0	0.0	0	0	0	0.0	0	0	0.0
Hutchinson	3	11	4.9	12	0	Ö	0.0	Ö	12	0.0
lyde	Ō	0	0.0	0	392	1,437	8.0	2,008	2,008	7.9
ackson	0	0	0.0	0	0	0	0.0	0	0	0.0
lerauld	0	0	0.0	0	0	0	0.0	0	0	0.0
ones	0	0	0.0	0	0	0	0.0	0	0	0.0
Cingsbury	0	0	0.0	0	249	913	5.1	1,276	1,276	5.0
ake	0	0	0.0	0	2	7	0.0	10	10	0.0
incoln	0	0	0.0	0	12	44	0.2	61	61	0.2
.yman	5	18	8.2	20	8	29	0.2	41	61	0.2
/lcCook	0	0	0.0	0	4	15	0.1	20	20	0.1
/IcPherson	0	0	0.0	0	0	. 0	0.0	0	0	0.0
/larshall	0	0	0.0	0	65	238	1.3	333	333	1.3
1eade	0	0	0.0	0	12	44	0.2	61	61	0.2
lellette	0	0	0.0	0	0	0	0.0	0	0	0.0
liner	0	0	0.0	0	0	0	0.0	0	0	0.0
loody	0	0	0.0	0	0	0	0.0	0	0	0.0
erkins	3	11	4.9	12	2	7	0.0	10	22	0.1
otter	0	0	0.0	0	200	733	4.1	1,025	1,025	4.0
Coberts	0	0	0.0	0	50	183	1.0	256	256	1.0
Sanborn	0	0	0.0	0	0	0	0.0	0	0	0.0
pink	0	0	0.0	0	53	194	1.1	271	271	1.1
tanley	10	37	16.4	39	6	22	0.1	31	70	0.3
ully	10	37	16.4	39	4	15	0.1	20	60	0.2
ripp	2 1	7	3.3 1.6	8 4	5 7	18 26	0.1 0.1	26 36	33 40	0.1 0.2
urner Inion	0	4 0	0.0	0	3	26 11	0.1	36 15		0.2
Valworth	0	0		0	0		0.0		15 0	0.1
iebach	0	0	0.0	0	0	0	0.0	0	0	0.0
	0	0								
odd Lakota	0	0	0.0	0	0	0	0.0	0	0	0.0
Inknown	4	15	- 0.0	-	1,946	7,135	- 0.0	-	-	0.0
			100%				100%	25 101		100%
OTALS:	65 ne 2022	238	100%	238	6,846	25,101	100%	25,101	25,339	100%




The 2021-22 resident mink season was open November 1, 2021 through January 31, 2022 statewide. The nonresident mink season was restricted to December 1, 2021 - January 31, 2022. Residents aged 16 and older holding a furbearer license were eligible to hunt or trap mink. Resident youth under age 16 were not required to have any license to trap or hunt mink. Nonresidents holding a furbearer license were eligible to hunt or trap mink.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 486 mink were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported mink harvest densities were Bon Homme, Yankton, Kingsbury, Edmunds, and Minnehaha.

Comparison of the 2012-2021 Mink seasons

	Furbearer Licenses		Active Hun	ters/Trappers	Har	vest	Satisfaction	
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	4,006	73	4.87	4.42
2013	4,745	19	2,641	14	2,202	34	4.63	4.44
2014	4,227	12	2,304	10	1,482	149	4.89	5.00
2015	3,940	14	2,065	14	1,147	9	4.93	4.40
2016	3,620	11	1,804	5	504	8	4.95	5.00
2017	3,915	17	2,120	15	356	16	5.05	5.63
2018	4,154	14	2,168	12	284	10	4.97	5.44
2019	4,334	17	2,237	13	518	26	5.09	4.43
2020	4,689	15	2,295	15	523	9	5.22	5.50
2021	4,726	13	2,200	0	482	4	5.21	NA



2021-22 Mink Harvest

COUNTY	# Reported	UNTING HARVES # Projected	% of Total	# Proj w/ Unk *	# Reported	# Projected	ST DISTRIBUTI % of Total	# Proj w/ Unk *	Total Harvest	% of Total
Minnehaha	# Reported	4	100.0	4 4	15	55	15.2	73	77	15.8
Pennington	0	0	0.0	0	5	18	5.1	24	24	5.0
Brown	0	0	0.0	0	2	7	2.0	10	10	2.0
Beadle	0	0	0.0	0	0	0	0.0	0	0	0.0
Codington	0	0	0.0	0	0	0	0.0	0	0	0.0
Brookings	0	0	0.0	0	2	7	2.0	10	10	2.0
Yankton	Ō	0	0.0	0	4	15	4.0	19	19	4.0
Davison	0	0	0.0	0	2	7	2.0	10	10	2.0
awrence	0	0	0.0	0	0	0	0.0	0	0	0.0
Aurora	0	0	0.0	0	0	0	0.0	0	0	0.0
Bennett	1 0	0	0.0	0	0	0	0.0	0	0	0.0
Bon Homme	0	0	0.0	0	14	52	14.1	68	68	14.0
Brule	0	0	0.0	0	1	4	1.0	5	5	1.0
Buffalo	0	0	0.0	0	0	0	0.0	0	0	0.0
Butte	0	0	0.0	0	0	0	0.0	0	0	0.0
Campbell	0	0	0.0	0	0	0	0.0	0	0	0.0
Charles Mix	Ō	Ō	0.0	0	1	4	1.0	5	5	1.0
Clark	Ō	0	0.0	0	0	0	0.0	Ō	Ō	0.0
Clay	Ō	Ō	0.0	0	Ö	Ō	0.0	Ö	Ö	0.0
Corson	ő	Ö	0.0	Ö	Ö	Ö	0.0	Ö	Ö	0.0
Custer	l ő	0 1	0.0	0	0	0	0.0	0	0	0.0
ay	0	0	0.0	0	0	0	0.0	0	0	0.0
Deuel	0	0	0.0	0	0	0	0.0	0	0	0.0
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
ouglas	0	0	0.0	0	0	0	0.0	0	0	0.0
dmunds	0	0	0.0	0	11	40	11.1	54	54	11.0
all River	0	0	0.0	0	0	0	0.0	0	0	0.0
aulk	ő	Ö	0.0	Ö	Ö	Ö	0.0	Ö	Ö	0.0
Grant	ő	Ö	0.0	Ö	1	4	1.0	5	5	1.0
Gregory	ő	Ö	0.0	Ö	2	7	2.0	10	10	2.0
laakon	l ő	0	0.0	0	0 1	0	0.0	0 1	0	0.0
lamlin	0	0	0.0	0	0	0	0.0	0	0	0.0
land	0	0	0.0	0	0	0	0.0	0	0	0.0
Hanson	0	0	0.0	0	0	0	0.0	0	0	0.0
Harding	0	0	0.0	0	0	0	0.0	0	0	0.0
lughes	0	0	0.0	0	1	4	1.0	5	5	1.0
lutchinson	ő	Ö	0.0	Ö	Ö	Ö	0.0	0	0	0.0
lyde	ő	Ö	0.0	ő	Ö	ő	0.0	Ö	Ö	0.0
lackson	ő	Ö	0.0	ő	0	0	0.0	0	0	0.0
lerauld	I 0	0 1	0.0	0 1	1 0	0	0.0	1 0 1	0	0.0
lones	0	0	0.0	0	0	0	0.0	0	0	0.0
Kingsbury	0	0	0.0	0	15	55	15.2	73	73	15.0
.ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	0	0	0.0	0	0	0	0.0	0	0	0.0
yman	0	0	0.0	0	1	4	1.0	5	5	1.0
лсСоок	0	0	0.0	0	Ö	0	0.0	0	0	0.0
AcPherson	0	0	0.0	0	0	0	0.0	0	0	0.0
//arshall	0	0 1	0.0	0 1	5	18	5.1	24	24	5.0
лагапап Лeade	0	0	0.0	0	0	0	0.0	0	0	0.0
//ellette	0	0	0.0	0	0	0	0.0	0	0	0.0
Miner	0	0	0.0	0	0	0	0.0	0	0	0.0
Moody	0	0	0.0	0	3	11	3.0	15	15	3.0
Perkins	0	0	0.0	0	0	0	0.0	0	0	0.0
otter	0	0	0.0	0	0	0	0.0	0	0	0.0
Roberts	0	0	0.0	0	2	7	2.0	10	10	2.0
Sanborn	1 0	0 0	0.0	1 0 1	1 0	0	0.0	10	0	0.0
	0	0	0.0	0	8	29	8.1	39	39	8.0
Spink Stanley	0	0	0.0	0	0	0	0.0	0	0	0.0
ully	0	0	0.0	0	0	0	0.0	0	0	0.0
ripp	0	0	0.0	0	1	4	1.0	5	5	1.0
urner	0	0	0.0	0	0	0	0.0	0	0	0.0
Inion	0	0	0.0	0	3	11	3.0	15	15	3.0
	0	0	0.0	0	0	0	0.0	0	0	0.0
Valworth Ziebach	I 0	0	0.0	1 0	1 0	0	0.0	1 0 1	0	0.0
iebach Oglala Lakota	0	0	0.0	0	0	0	0.0	0	0	0.0
odd Lakota	0	0		0	0	0	0.0	0	0	0.0
Jnknown	0	0	0.0	U	32	118	0.0	U	U	0.0
			4000/				4000/	400	400	40001
TOTALS:	1	4	100%	4	131	482	100%	482	486	100%

<u>WEASEL</u>


The 2021-22 resident weasel season was open November 1, 2021 through January 31, 2022 statewide. The nonresident weasel season was restricted to December 1, 2021 - January 31, 2022. Residents aged 16 and older holding a furbearer license were eligible to hunt or trap weasels. Resident youth under age 16 were not required to have any license to trap or hunt weasels. Nonresidents holding a furbearer license were eligible to hunt or trap weasels.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 52 weasels were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported weasel harvest densities were McCook, Spink, Campbell, Charles Mix, and Edmunds.

Comparison of the 2012-2021 Weasel seasons

	Furbearer Licenses		Active Hun	ters/Trappers	Harv	/est	Satisfaction	
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	254	14	4.87	4.42
2013	4,745	19	2,641	14	151	5	4.63	4.44
2014	4,227	12	2,304	10	265	12	4.89	5.00
2015	3,940	14	2,065	14	161	0	4.93	4.40
2016	3,620	11	1,804	5	42	7	4.95	5.00
2017	3,915	17	2,120	15	65	2	5.05	5.63
2018	4,154	14	2,168	12	40	0	4.97	5.44
2019	4,334	17	2,237	13	47	0	5.09	4.43
2020	4,689	15	2,295	15	95	0	5.22	5.50
2021	4,726	13	2,200	0	48	4	5.21	NA



2021-22 Weasel Harvest

COUNTY	# Reported	HUNTING HARVE # Projected	% of Total	# Proj w/ Unk *	# Reported	APPING HARVI # Projected	% of Total	# Proj w/ Unk *	Total Harvest	% of Total
Minnehaha	# Keported	# Projected	0.0	0	# Reported	# Projected	0.0	0 0	0	0.0
Pennington	0	0	0.0	0	0	0	0.0	0	0	0.0
Brown	0	0	0.0	0	0	0	0.0	0	0	0.0
Beadle	0	0	0.0	0	0	0	0.0	0	0	0.0
Codington	0	0	0.0	0	0	0	0.0	0	0	0.0
Brookings	0	0	0.0	0	0	0	0.0	0	0	0.0
rankton	Ō	Ō	0.0	Ö	0	Ö	0.0	Ō	0	0.0
Davison	0	0	0.0	0	0	0	0.0	0	0	0.0
awrence	0	0	0.0	0	0	0	0.0	0	0	0.0
Aurora	0	0	0.0	0	0	0	0.0	0	0	0.0
Bennett	0	0	0.0	0	0	0	0.0	0	0	0.0
Bon Homme	0	0	0.0	0	0	0	0.0	0	0	0.0
Brule	0	0	0.0	0	0	0	0.0	0	0	0.0
Buffalo	0	0	0.0	0	0	0	0.0	0	0	0.0
Butte	0	0	0.0	0	0	0	0.0	0	0	0.0
Campbell	0	0	0.0	0	2	7	22.2	11	11	20.6
Charles Mix	0	0	0.0	0	1	4	11.1	5	5	10.3
Clark	0	0	0.0	0	0	0	0.0	0	0	0.0
Clay	0	0	0.0	0	0	0	0.0	0	0	0.0
Corson	0	0	0.0	0	0	0	0.0	0	0	0.0
Custer	0	0	0.0	0	0	0	0.0	0	0	0.0
Day	0	0	0.0	0	0	0	0.0	0	0	0.0
Deuel	0	0	0.0	0	0	0	0.0	0	0	0.0
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
Douglas	0	0	0.0		0	0	0.0	0	0	0.0
dmunds	0	0	0.0 0.0	0	1 0	4 0	11.1	5 0	5 0	10.3 0.0
all River							0.0		0	
aulk	0	0	0.0 0.0	0	0	0	0.0 0.0	0	0	0.0 0.0
Grant	0	0	0.0	0	0	0	0.0	0	0	0.0
Gregory Haakon	0	1 0	0.0	0	0	l 0	0.0	I 0 I	0	0.0
Hamlin	0	0	0.0	0	0	0	0.0	0	0	0.0
Hand	0	0	0.0	0	0	0	0.0	0	0	0.0
Hanson	0	0	0.0	0	0	0	0.0	0	0	0.0
Harding	0	0	0.0	0	0	0	0.0	0	0	0.0
lughes	0	0	0.0	0	0	0	0.0	0	0	0.0
lutchinson	Ö	Ö	0.0	Ö	Õ	Ö	0.0	Ö	Ö	0.0
lyde	Ö	Ö	0.0	Ö	Õ	Ö	0.0	Ö	Ö	0.0
Jackson	Ö	Ö	0.0	Ö	Ö	Ö	0.0	Ö	Ö	0.0
lerauld	0	0	0.0	0 1	0	0	0.0	0	0	0.0
Jones	0	0	0.0	0	0	0	0.0	0	0	0.0
Kingsbury	0	0	0.0	0	0	0	0.0	0	0	0.0
.ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	0	0	0.0	0	0	0	0.0	0	0	0.0
.yman	0	0	0.0	0	0	0	0.0	0	0	0.0
/icCook	1	4	100.0	4	1	4	11.1	5	9	17.4
McPherson	0	0	0.0	0	0	0	0.0	0	0	0.0
/larshall	0	0	0.0	0	0	0	0.0	0	0	0.0
Лeade	0	0	0.0	0	2	7	22.2	11	11	20.6
Mellette	0	0	0.0	0	0	0	0.0	0	0	0.0
/liner	0	0	0.0	0	0	0	0.0	0	0	0.0
Лoody	0	0	0.0	0	0	0	0.0	0	0	0.0
Perkins	0	0	0.0	0	0	0	0.0	0	0	0.0
Potter	0	0	0.0	0	0	0	0.0	0	0	0.0
Roberts	0	0	0.0	0	0	0	0.0	0	0	0.0
Sanborn	0	0	0.0	0	0	0	0.0	0	0	0.0
Spink	0	0	0.0	0	2	7	22.2	11	11	20.6
tanley	0	0	0.0	0	0	0	0.0	0	0	0.0
iully	0	0	0.0	0	0	0	0.0	0	0	0.0
ripp	0	0	0.0	0	0	0	0.0	0	0	0.0
urner	0	0	0.0	0	0	0	0.0	0	0	0.0
Jnion	0	0	0.0	0	0	0	0.0	0	0	0.0
Valworth	0	0	0.0	0	0	0	0.0	0	0	0.0
liebach	0	0	0.0	0	0	0	0.0	0	0	0.0
Oglala Lakota	0	0	0.0	0	0	0	0.0	0	0	0.0
odd	0	0	0.0	0	0	0	0.0	0	0	0.0
Jnknown	0	0			4	15	-			
TOTALS:	1	4	100%	4	13	48	100%	48	52	100%

* Includes unknown county projection values by assuming unknown county values are distributed the same as reported county values. Total values may be different due to rounding.

BEAVER


The 2021-22 resident beaver season was open year-round except on U.S. Forest Service land in the Black Hills where the season was open only January 1 through March 31, and non-U.S. Forest Service land in the Black Hills where the season was open only November 1, 2021 through April 30, 2022. The nonresident beaver season was restricted to December 1, 2021 - March 15, 2022. Residents aged 16 and older holding a furbearer license were eligible to hunt or trap beaver. Resident youth under age 16 were not required to have any license to trap or hunt beaver. Nonresidents holding a furbearer license were eligible to hunt or trap beaver.

Based on survey responses indicating at least one day of hunting or trapping furbearers, there were a projected 2,200 resident and 0 nonresident active hunters/trappers that held a furbearer license during the 2021-22 seasons. An estimated 3,661 beaver were harvested during the 2021-22 season by furbearer license holders.

The five counties with the highest reported beaver harvest densities were Brookings, Minnehaha, Lincoln, Bon Homme, and Moody.

Comparison of the 2012-2021 Beaver seasons

	Furbearer Licenses		Active Hun	ters/Trappers	Har	vest	Satisfaction	
Year	Resident	Nonresident	Resident	Nonresident	Trapping	Hunting	Resident	Nonres
2012	5,022	19	2,785	18	4,841	441	4.87	4.42
2013	4,745	19	2,641	14	2,767	292	4.63	4.44
2014	4,227	12	2,304	10	2,445	343	4.89	5.00
2015	3,940	14	2,065	14	3,806	864	4.93	4.40
2016	3,620	11	1,804	5	1,773	326	4.95	5.00
2017	3,915	17	2,120	15	1,835	603	5.05	5.63
2018	4,154	14	2,168	12	1,201	143	4.97	5.44
2019	4,334	17	2,237	13	2,063	350	5.09	4.43
2020	4,689	15	2,295	15	2,582	274	5.22	5.50
2021	4,726	13	2,200	0	3,395	266	5.21	NA



2021-22 Beaver Harvest

Corey Huxoll

COUNTY	# Damawad	UNTING HARVE	% of Total		# Damawad	APPING HARVE			Total Hammed	0/ of Total
Minnehaha	# Reported	# Projected		# Proj w/ Unk *	# Reported	# Projected	% of Total	# Proj w/ Unk *	Total Harvest	% of Total
Pennington	5 0	18 0	7.6 0.0	0	66 71	244 262	7.6 8.1	256 276	277 276	7.6 7.5
Brown	0	0	0.0	0	0	0	0.0	0	0	0.0
Beadle	0	0	0.0	0	32	118	3.7	124	124	3.4
Codington	0	0	0.0	0	3	11	0.3	12	12	0.3
Brookings	4	15	6.1	16	61	225	7.0	237	253	6.9
ankton	0	0	0.0	0	0	0	0.0	0	0	0.0
Davison	Ö	Ö	0.0	Ö	8	30	0.9	31	31	0.8
.awrence	Ō	Ō	0.0	Ō	Ō	0	0.0	0	0	0.0
lurora	Ō	Ō	0.0	Ō	Ō	Ö	0.0	Ö	Ö	0.0
Bennett	0	0	0.0	0	0	0	0.0	0	0	0.0
Bon Homme	0	0	0.0	0	40	148	4.6	155	155	4.2
Brule	4	15	6.1	16	0	0	0.0	0	16	0.4
Buffalo	0	0	0.0	0	0	0	0.0	0	0	0.0
Butte	0	0	0.0	0	25	92	2.9	97	97	2.7
Campbell	0	0	0.0	0	0	0	0.0	0	0	0.0
Charles Mix	1	4	1.5	4	11	41	1.3	43	47	1.3
Clark	0	0	0.0	0	9	33	1.0	35	35	1.0
Clay	0	0	0.0	0	0	0	0.0	0	0	0.0
Corson	0	0	0.0	0	0	0	0.0	0	0	0.0
Custer	0	0	0.0	0	11	41	1.3	43	43	1.2
Day	0	0	0.0	0	0	0	0.0	0	0	0.0
Deuel	0	0	0.0	0	5	18	0.6	19	19	0.5
Dewey	0	0	0.0	0	0	0	0.0	0	0	0.0
Douglas	0	0	0.0	0	0	0	0.0	0	0	0.0
dmunds	0	0	0.0	0	0	0	0.0	0	0	0.0
all River	0	0	0.0	0	2	7	0.2	8	8	0.2
aulk	1	4	1.5	4	5	18	0.6	19	23	0.6
Grant	4	15	6.1	16	17	63	1.9	66	82	2.2
Gregory	7	26	10.6	28	21	77	2.4	82	110	3.0
laakon	5	18	7.6	20	38	140	4.3	148	168	4.6
lamlin	0	0	0.0	0	22	81 11	2.5 0.3	85 12	85 12	2.3 0.3
land lanson	3	11	4.5	12	9	33	1.0	35	47	1.3
Harding	0	0	0.0	0	6	22	0.7	23	23	0.6
lughes	0	0	0.0	0	0	0	0.0	0	0	0.0
lutchinson	0	0	0.0	0	6	22	0.7	23	23	0.6
lyde	0	0	0.0	0	0	0	0.0	0	0	0.0
lackson	0	0	0.0	0	1	4	0.0	4	4	0.0
lerauld	l ő	1 0	0.0	I ŏ I	15	55	1.7	58	58	1.6
lones	1	4	1.5	4	10	37	1.1	39	43	1.2
Kingsbury	0	0	0.0	0	3	11	0.3	12	12	0.3
ake	0	0	0.0	0	0	0	0.0	0	0	0.0
incoln	0	0	0.0	0	49	181	5.6	190	190	5.2
.yman	0	0	0.0	0	17	63	1.9	66	66	1.8
/icCook	0	0	0.0	0	0	0	0.0	0	0	0.0
/IcPherson	0	0	0.0	0	Ō	Ö	0.0	Ö	Ö	0.0
/larshall	0	0	0.0	0	0	0	0.0	0	0	0.0
/leade	0	0	0.0	0	13	48	1.5	50	50	1.4
fellette	0	0	0.0	0	0	0	0.0	0	0	0.0
Miner	0	0	0.0	0	0	0	0.0	0	0	0.0
loody	0	0	0.0	0	76	280	8.7	295	295	8.1
erkins	3	11	4.5	12	12	44	1.4	47	59	1.6
Potter	0	0	0.0	0	7	26	0.8	27	27	0.7
Roberts	0	. 0	0.0	0	3	11	0.3	12	12	0.3
Sanborn	0	0	0.0	0	0	0	0.0	0	0	0.0
pink	3	11	4.5	12	91	336	10.4	353	366	10.0
Stanley	0	0	0.0	0	8	30	0.9	31	31	0.8
Sully	9	33	13.6	36	1	4	0.1	4	40	1.1
ripp	0	0	0.0	0	39	144	4.5	151	151	4.1
urner	0	0	0.0	0	9	33	1.0	35	35	1.0
Jnion	0	0	0.0	0	7	26	0.8	27	27	0.7
Valworth	4	15	6.1	16	0	0	0.0	0	16	0.4
iebach	12	44	18.2	48	32	118	3.7	124	173	4.7
Oglala Lakota	0	0	0.0	0	0	0	0.0	0	0	0.0
odd	0	0	0.0	0	10	37	1.1	39	39	1.1
Jnknown	6	22	-	-	46	170	-	-	-	
TOTALS:	72	266	100%	266	920	3,395	100%	3,395	3,661	100%

* Includes unknown county projection values by assuming unknown county values are distributed the same as reported county values. Total values may be different due to rounding.